


**Information:** The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited.

This technical sheet remains subject to possible changes. **All dimensions are in mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**TECH SHEET**  
20170407


# WALRUS

**extremis®**




**Versions & options:**


*110/80 - Club chair | Corner seat | Middle seat | Footstool |  
Blanket | Cushion | Coffee table | Corner Square table | Side tables*




Dimensions (mm)	L	W	H	$l_1$	$l_2$	$w_1$	$h_1$
Club chair 110	1700	1100	605	1100	300	800	325
Club chair 80	1400	1100	605	800	300	800	325



Dimensions (mm)	L	W	H	$l_1$	$l_2$	$w_1$	$h_1$
Corner seat 110	1400	1100	605	1100	300	800	325
Corner seat 80	1100	1100	605	800	300	800	325




Dimensions (mm)	L	W	H	$w_1$	$h_1$
Middle seat 110	1100	1100	605	800	325
Middle seat 80	800	1100	605	800	325




Dimensions (mm)	L	W	H
Footstool 110	1100	800	325

BOX 1: ARMREST | BOX 2: BACKREST




BOX 3: SEAT CUSHION



BOX 4: FRAME




BOX 5: FEET




Box dimensions (mm)		L	W	H	Qty (#)	Volume (m³)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Club chair 110	Box 1	1160	345	550	2	0,44	36,35	34,00	2,35
	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1500	1060	115	1	0,18	21,51	18,01	3,50
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	<b>total:</b>				<b>1,11</b>		<b>92,63</b>	<b>81,39</b>	<b>11,24</b>
Club chair 80	Box 1	1160	345	550	2	0,44	25,37	24,67	2,35
	Box 2	860	345	550	1	0,16	18,24	15,89	2,35
	Box 3	830	820	260	1	0,18	7,14	5,08	2,06
	Box 4	1340	1060	115	1	0,16	18,99	15,99	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	<b>total:</b>				<b>0,95</b>		<b>72,47</b>	<b>62,51</b>	<b>9,96</b>
Corner seat 110	Box 1	1160	345	550	1	0,22	19,35	17,00	2,35
	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1340	1060	115	1	0,16	18,99	15,99	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	<b>total:</b>				<b>0,87</b>		<b>73,11</b>	<b>62,37</b>	<b>10,74</b>
Corner seat 80	Box 1	1160	345	550	1	0,22	14,87	12,52	2,35
	Box 2	860	345	550	1	0,16	18,24	15,89	2,35
	Box 3	830	820	260	1	0,18	7,14	5,08	2,06
	Box 4	1340	1060	115	1	0,16	16,07	13,07	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	<b>total:</b>				<b>0,73</b>		<b>57,40</b>	<b>47,44</b>	<b>9,96</b>
Corner seat 110 with 2 storage pouches	Box 2	1160	345	550	2	0,44	38,70	42,00	4,70
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1340	1060	115	1	0,16	18,99	15,99	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	<b>total:</b>				<b>0,87</b>		<b>77,11</b>	<b>66,37</b>	<b>10,74</b>
Corner seat 80 with 2 storage pouches	Box 2	860	345	550	2	0,32	34,13	31,78	2,35
	Box 3	830	820	260	1	0,18	7,14	5,08	2,06
	Box 4	1340	1060	115	1	0,16	16,07	13,07	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	<b>total:</b>				<b>0,67</b>		<b>58,41</b>	<b>50,81</b>	<b>7,61</b>
Middle seat 110	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1340	1060	115	1	0,16	16,07	13,07	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	<b>total:</b>				<b>0,65</b>		<b>50,84</b>	<b>42,45</b>	<b>8,39</b>

Box dimensions (mm)		L	W	H	Qty (#)	Volume (m³)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Middle seat 80	Box 2	860	345	550	1	0,16	18,24	15,89	2,35
	Box 3	830	820	260	1	0,18	7,14	5,08	2,06
	Box 4	1340	1060	115	1	0,16	12,11	9,11	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	<b>total:</b>				<b>0,51</b>		<b>38,57</b>	<b>30,96</b>	<b>7,61</b>
Footstool 110	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1340	1060	115	1	0,16	12,11	9,11	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	<b>total:</b>				<b>0,43</b>		<b>23,53</b>	<b>17,49</b>	<b>6,04</b>


### OPTIONAL SIDE TABLES



Dimensions (mm)	L	W	H	$l_1$	$l_2$	$w_1$	$h_1$	$h_2$
Seat with side table 110	1376	1100	605	1100	271	800	325	141
Seat with side table 80	1076	1100	605	800	271	800	325	141



Dimensions (mm)	L	W	H	$l_1$	$l_2$	$l_3$	$w_1$	$h_1$	$h_2$
Seat with armrest & side table 110	1676	1100	605	1100	271	300	800	325	141
Seat with armrest & side table 80	1376	1100	605	800	271	300	800	325	141



Dimensions (mm)	L	W	H	$l_1$	$l_2$	$w_1$	$h_1$	$h_2$
Seat with 2 side tables 110	1652	1100	605	1100	271	800	325	141
Seat with 2 side tables 80	1352	1100	605	800	271	800	325	141


BOX 1: ARMREST | BOX 2: BACKREST



BOX 3: SEAT CUSHION




BOX 4: FRAME



BOX 5: FEET




BOX 6: SIDE TABLE




Box dimensions (mm)		L	W	H	Qty (#)	Volume (m <sup>3</sup> )	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Seat with side table 110	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1340	1060	115	1	0,16	16,07	13,07	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	Box 6	1150	320	90	1	0,03	8,88	6,83	2,05
	<b>total:</b>					<b>0,68</b>	<b>59,72</b>	<b>49,28</b>	<b>10,44</b>
Seat with side table 80	Box 2	860	345	550	1	0,16	18,24	15,89	2,35
	Box 3	830	820	260	1	0,18	7,14	5,08	2,06
	Box 4	1340	1060	115	1	0,16	16,07	13,07	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	Box 6	1150	270	75	1	0,03	8,88	6,83	2,05
	<b>total:</b>					<b>0,54</b>	<b>51,41</b>	<b>41,75</b>	<b>9,66</b>
Seat with armrest & side table 110	Box 1	1160	345	550	1	0,22	19,35	17,00	2,35
	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,35	7,50	2,84
	Box 4	1340	1060	115	1	0,16	16,07	13,07	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	Box 6	1150	320	90	1	0,03	8,88	6,83	2,05
<b>total:</b>					<b>0,90</b>	<b>79,07</b>	<b>66,28</b>	<b>12,79</b>	
Seat with armrest & side table 80	Box 1	1160	345	550	1	0,22	19,35	17,00	2,35
	Box 2	860	345	550	1	0,16	18,24	15,89	2,35
	Box 3	830	820	260	1	0,18	7,14	5,08	2,06
	Box 4	1340	1060	115	1	0,16	16,07	13,07	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	Box 6	1150	270	75	1	0,03	8,88	6,83	2,05
<b>total:</b>					<b>0,76</b>	<b>70,76</b>	<b>58,75</b>	<b>12,01</b>	
Seat with 2 side tables 110	Box 2	1160	345	550	1	0,22	23,35	21,00	2,35
	Box 3	1140	830	270	1	0,26	10,34	7,50	2,84
	Box 4	1340	1060	115	1	0,16	16,07	13,07	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	Box 6	1150	320	90	2	0,07	17,76	13,66	4,10
	<b>total:</b>					<b>0,72</b>	<b>68,60</b>	<b>56,11</b>	<b>12,49</b>
Seat with 2 side tables 80	Box 2	860	345	550	1	0,16	18,24	15,89	2,35
	Box 3	830	820	260	1	0,18	7,14	5,08	2,06
	Box 4	1340	1060	115	1	0,16	16,07	13,07	3,00
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20
	Box 6	1150	270	75	1	0,03	8,88	6,83	2,05
	<b>total:</b>					<b>0,54</b>	<b>51,41</b>	<b>41,75</b>	<b>9,66</b>


## OPTIONAL TABLES



Dimensions (mm)	L	W	H
Coffee table std. height	1100	823	145
Coffee table high feet	1100	823	170
Coffee table extra high feet	1100	823	195




Dimensions (mm)	L	W	H
Corner Square table std. height	1100	1100	145
Corner Square table high feet	1100	1100	170
Corner Square table extra high feet	1100	1100	195



Dimensions (mm)	L	W	H	w <sub>i</sub>	h <sub>i</sub>
Linking table	1100	749	67	547	145

BOX 5: FEET




BOX 7: TABLE




Box dimensions (mm)		L	W	H	Qty (#)	Volume (m <sup>3</sup> )	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)	
Coffee table	Box 7	1150	873	80	1	0,08	22,28	19,78	2,50	
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20	
						<b>total:</b>	<b>0,09</b>	<b>23,36</b>	<b>20,66</b>	<b>3,00</b>
Corner square table	Box 7	1150	1150	80	1	0,11	29,74	26,74	3,00	
	Box 5	200	140	140	1	0,01	1,08	0,88	0,20	
						<b>total:</b>	<b>0,12</b>	<b>30,82</b>	<b>27,62</b>	<b>3,20</b>
Linking table	Box 7	1150	799	195	1	0,04	19,37	16,87	2,50	

## OPTIONAL BLANKETS



Dimensions (mm)	L	W	H	(kg)
Blanket 110	1570	1050	20	2,00
Blanket 80	1570	750	20	1,50

## OPTIONAL COMFORT CUSHIONS




Dimensions (mm)	L	W	H	(kg)
Comfort cushion 110	800	200	500	1,50
Comfort cushion 80	500	200	500	1,00

BOX 7: 3 BLANKETS + 3 CUSHIONS



Box dimensions (mm)		L	W	H	Qty (#)	Volume (m <sup>3</sup> )	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
max. 3 blankets + max. 3 cushions	Box 7	1140	830	270	1	0,26	13,34	10,50	2,84

## OPTIONAL THROW PILLOW



Dimensions (mm)	L	W	H	(kg)
Small Cushion	500	170	500	0,90

## TARPAULIN CUSHIONS




## FRAME & FEET



## TABLES



## BLANKETS & CUSHIONS



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV colour fastness	Flame retarding
		mm	micron					
Galvanised steel frame, legs & connection piece	<ul style="list-style-type: none"> <li>most durable method for protecting metal from rusting</li> <li>protective layer</li> <li>very long life span</li> <li>can perfectly be recycled</li> </ul>	2 - 3	n.a.	7,50 10 <sup>3</sup> kg/m <sup>3</sup>	outdoor & indoor	n.a.	very good, galvanisation will however become dull when used outdoors	NEN-EN13501-1 A1 *
Powder coated steel frame & legs	<ul style="list-style-type: none"> <li>a technique of applying dry paint to a part</li> <li>electrostatically charged and sprayed onto the object</li> </ul>	2 - 10	n.a.	7,50 10 <sup>3</sup> kg/m <sup>3</sup>	outdoor & indoor	n.a.	very good: colour can fade a little bit when exposed to UV	/
Fibre glass rods	<ul style="list-style-type: none"> <li>made with the pultrusion technique: a non-stop process of fibre glass wires pulled through a bath of polyester</li> <li>strong</li> <li>corrosion-durability</li> <li>light weight</li> </ul>	8	n.a.	0,45 10 <sup>3</sup> kg/m <sup>3</sup>	outdoor & indoor	n.a.	very good: colour can fade a little when exposed to UV	/
Tarpaulin cushions	<ul style="list-style-type: none"> <li>developed for outdoor</li> <li>high tenacity polyester yarn + PVC coating + protective coating</li> <li>anti-bacterial + UV treated</li> </ul>	0,50	n.a.	450 g/m <sup>2</sup>	outdoor & indoor -30°C DIN EN 1876/2 +70°C DIN 1998	100% water proof / water column of 100 mbar	7-8/8 (ISO 105-B02)	flame speed <100mm/sec ISO3795 1989
Sunbrella blankets & cushions	<ul style="list-style-type: none"> <li>100% acrylic</li> <li>best outdoor fabric available for making cushions</li> </ul>	0,50	n.a.	270 g/m <sup>2</sup>	outdoor & indoor	water column of 35 mbar (EN 20811)	7/8 (ISO 105-B02)	/
Iroko tables	<ul style="list-style-type: none"> <li>few maintenance</li> <li>feels nice in cold and very hot weather</li> </ul>	30	n.a.	600 à 700 kg/m <sup>3</sup>	outdoor & indoor	n.a.	untreated wood turns grey after a while	/
Hellwood tables	<ul style="list-style-type: none"> <li>very ecological</li> <li>made from European ash</li> <li>very stable</li> <li>needs few maintenance</li> <li>carries the PEFC™ label for durable forestry</li> <li>feels nice in cold and very hot weather</li> </ul>	30	n.a.	600 kg/m <sup>3</sup>	outdoor & indoor	n.a.	untreated wood turns grey after a while	/



\* NEN-EN13501-1 A1

Class A1 products will not contribute in any stage of the fire including the fully developed fire. For that reason they are assumed to be capable of satisfying automatically all requirements of all lower classes.

## APPLICATIONS

**Private:** on terraces, patios, ...

**Public:** hotel and catering industry, company terraces, ...

## MAINTENANCE

### BLANKET & CUSHIONS (SUNBRELLA)

General cleaning can be done with lukewarm water and mild soap, using a sponge or a soft bristle brush.

To clean mildew or other stubborn stains, a specific mixture of bleach, mild detergent and water can be used. Always rinse the fabric thoroughly after cleaning. Air dry.

It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label.

### CUSHIONS (TARPAULIN)

The tarp material on the Walrus is easy to clean with lukewarm water, mild soap and cloth or a soft sponge (never use the scrubbing side or a hard brush).

With every Walrus come two miraclean sponges. These sponges may only be used on marks or stains when normal cleaning is not enough. After cleaning, just let it dry, or wipe with a clean towel for an even better result.

Dependent on the conditions the Walrus is placed in, we advise to clean it every now and then. (e.g. rain, dust, proximity of trees, pets, insects, climate).

**Also keep in mind that white is a more sensitive colour for outdoor use.**

## F.A.Q.

*Q: Is it for outdoors?*

A: Yes, the parts that are permanently exposed to the elements are made of an extremely durable tarpaulin material (used for trucks) that does not absorb any water.

*Q: Do you need to oil the wood?*

A: When delivered, the wood is untreated. Exposure to sun and rain will gradually change their colour to silvery grey, and also roughen the surface. If you want to somewhat retain their original colour, you should oil them once a year. We recommend using RMC Hybrid Wood Protector. This treatment will also reduce the wood's proneness to splits, cracks, (grease) stain absorption, etc. To clean the wood you can use special products ([www.rmc-extremis.com](http://www.rmc-extremis.com)) or simply a stiff bristle brush and some water. Be careful not to irreparably damage the wood fibres. For this reason, never use a high pressure cleaner.

## MAINTENANCE

Download the manuals from our website for maintenance instructions.

## IMPORTANT

We strongly advice to store the blanket & cushion indoors when the Walrus is not used regularly.

## GOOD TO KNOW

1. Walrus Corner seat is also available with 2 backrests, this way you have an extra storage pouch to hide blankets, cushions, ...
2. An ingenious storage pouch in the back of the Walrus hides a foldout blanket and a thick cushion, to provide the softness, comfort and touch appreciated in contact with your body.

