# **Panigiri**


© design by Dirk Wynants


# extremis<sup>®</sup>





### **Dimensions**


The Panigiri combo base module

















The Panigiri table base module







### **Box dimensions**

Box 1: Tabletop centerframe



Box 3: Picnic legs



Box 2: Tabletop endframes



Box 4: Benches



Box 5: Table legs



The Panigiri combo base module comes in 5 boxes

Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (в)	Packaging weight (Ib)
Panigiri combo	Box 1	67.0	41.0	5.0	1	7.77	119.05	106.92	12.13
Base module	Box 2	44.5	35.75	7.75	1	7.42	119.05	107.59	11.46
	Box 3	38.5	19.75	8.75	1	3.88	44.53	35.71	8.82
	Box 4	52.25	13.5	8.5	1	3.53	53.57	44.97	8.60
	Box 5	35.75	14.25	7.5	1	2.12	33.07	25.13	7.94
					Total:	24.72	369.27	320.32	48.95

The Panigiri picnic base module comes in 4 boxes

Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (1b)	Net weight (в)	Packaging weight (Ib)
Panigiri picnic	Box 1	67.0	41.0	5.0	1	7.77	119.05	106.92	12.13
Base module	Box 2	44.5	35.75	7.75	1	7.42	119.05	107.59	11.46
	Вох 3	38.5	19.75	8.75	2	7.77	89.07	71.43	17.64
	Box 4	52.25	13.5	8.5	2	7.06	107.14	89.95	17.20
					Total:	30.02	434.31	375.89	58.43

The Panigiri table base module comes in 3 boxes

Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (lb)	Packaging weight (Ib)
Panigiri table	Box 1	67.0	41.0	5.0	1	7.77	119.05	106.92	12.13
Base module	Box 2	44.5	35.75	7.75	1	7.42	119.05	107.59	11.46
	Box 5	35.75	14.25	7.5	2	4.24	66.14	50.27	15.87
					Total:	19.43	304.24	264.78	39.46

### Additional picnic module


The additional picnic module is available in one dimension

### Additional picnic module box dimensions

The additional picnic module comes in 3 boxes

29.25









Box 3: Picnic legs

Box 4: Benches










Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (Ib)	Packaging weight (1b)
Additional picnic module	Box 1	67.0	41.0	5.0	1	7.77	119.05	106.92	12.13
	Box 3	38.5	19.75	8.75	1	3.88	44.53	35.71	8.82
	Box 4	52.25	13.5	8.5	1	3.53	53.57	44.97	8.60
					Total:	15.18	217.15	187.60	29.55

### Additional table module

### Additional table module box dimensions


The additional table module is available in one dimension

The additional table module comes in 3 boxes





Box 5: Table legs







45.75	39.5

Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (1b)	Net weight (в)	Packaging weight (16)
Additional table module	Box 1	67.0	41.0	5.0	1	7.77	119.05	106.92	12.13
	Box 5	35.75	14.25	7.5	1	2.12	33.07	25.13	7.94
					Total:	9.89	152.12	132.05	20.07

### Panigiri combo + additional modules

Add the <u>additional picnic module</u>, on the right or on the left (between center and endframe)











Add the <u>additional table module</u>, on the right or on the left (between center and endframe)











### Panigiri picnic + additional modules

Add the <u>additional picnic module</u>, on the right or on the left (between center and endframe)











Add the <u>additional table module</u>, on the right or on the left (between center and endframe)







=



## Panigiri table + additional modules


Add the <u>additional picnic module</u>, on the right or on the left (between center and endframe)



+



=



Add the <u>additional table module</u>, on the right or on the left (between center and endframe)



+




=




### **Endless modularity**

Mix and match benches and chairs to create your desired setup, the modular design creates different seating options Below some predefined combinations

# 128.25 in 251.25 in 8 people 16 people (4 to 6 Captain's Chairs) (4 to 6 Captain's Chairs) 251.25 in 189.75 in 12 people 16 people (4 to 6 Captain's Chairs) (8 to 10 Captain's Chairs) 189.75 in 312.5 in 12 people 20 people (4 to 6 Captain's Chairs) (8 to 10 Captain's Chairs) 128.25 in 251.25 in 8 people 16 people 189.75 in 312.5 in 20 people 12 people





251.25 in

312.5 in

### **BYOS**

#### The BYOS seat is available in one dimension





### **BYOS** box dimensions

The BYOS seat comes in 1 box

Box 6: BYOS







Box dimensions (inch)		L	W	Н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (в)	Packaging weight (Ib)
BYOS (x1)	Box 6	665	500	270	1	3.18	17.24	10.63	6.61
BYOS (x2)	Box 6	665	500	320	1	3.88	27.87	21.25	6.61

### Slide-on cushion


### Slide-on cushion box dimensions

The Slide-on cushion is available in one dimension



The Slide-on cushion comes in 1 box

Bag 1: Slide-on cushion





10.25


1.75 2.25

Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (lb)	Net weight (Ib)	Packaging weight (Ib)
Slide-on cushion	Bag 1	510	259	60	1	0.35	0.77	0.75	0.02

## Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world,

plesae review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements



#### Tabletop & benches



Hellwood

#### Frame



Galvanized steel

#### Sunbrella® cushions



Coconut Sunbrella Savane

Marble Sunbrella Lopi



BYOS frame

Earth Structured powder coating

#### Legs



Black (RAL9005)



Earth

Structured powder coating



Beach beige (RAL1019) Structured powder coating



Off white (RAL9002 Structured powder coating



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		inch	micron					
Hellwood tabletop & benches	<ul> <li>Durability CLASS 1</li> <li>Carries the PEFC™ label for durable forestry</li> <li>Feels comfortable in all weather conditions</li> <li>Advisable to oil the wood</li> </ul>	1.25	n.a.	37 lb/ft³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hot dip galvanized steel frame	<ul> <li>Most durable method for protecting metal from rusting</li> <li>Protective layer</li> <li>Very long life span</li> <li>100% recyclable</li> <li>Cradle to Cradle Certified™</li> </ul>	0.08 - 0.24	50 - 100	0.47 10 <sup>3</sup> lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN- EN13501- 1 A1 *
Structured powder coated stainless steel legs	Easy to clean     Stainless steel (for protection against rust), then powder-coated     More scratch-resistant than non structured powder-coating	0.08	50 - 100	0.50 10 <sup>3</sup> lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN- EN13501- 1 A1 *
Sunbrella® cushions	100% Sunbrella Acrylic     Best outdoor fabric available for making cushions     Dirt repellent     Not waterproof, store inside!     Machine washable at max. 30°C. Ironing restores the protective layer	0.02	n.a.	9.53 oz/ft <sup>2</sup>	Outdoor & indoor	The fa- bric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/
Structured powder coated zinced steel BYOS frame	Easy to clean     Electro galvanized (for extra protection against rust), then powder coated     More scratch-resistant than non structured powder coating	0.12	100	0.47 10 <sup>3</sup> lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN- EN13501- 1 A1 *
Polypropylene cord	<ul><li>100% recyclable</li><li>High tenacity yarn</li></ul>	0.24	n.a.	n.a.	Outdoor & indoor	n.a.	7/8 (ISO 105-B02)	/

#### NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

### Good to know

- PEFC™ certified wood originates from sustainably managed forests.
- BYOS stands for "Bring Your Own Seat"
- · Intelligent design: 4 # elements, endless modularity.
  - 1. Center top (x 1, 2, 3, 4, ... endless)
  - 2. End top
  - 3. Table lea
  - 4. Picnic leg (with bench)



· Panigiri combines perfectly with Sensu tilted.



### F.A.Q.

- Q: Do you need to oil the wood?
- A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

#### **Maintenance**

#### POWDER COATED PARTS

· White powder coating obviously requires more maintenance.

#### **GALVANIZED PARTS**

· Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

#### WOOD

- · Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

#### SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment
- · Rinse thoroughly to remove all soap residue.
- · Simply allow to dry.
- It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 3.94 in.

#### RECOMMENDED USE

For Extremis Wood protector:

11.	0.5L	
2 to 3 wood care treatments	1 to 2 wood care treatments	300 - 400 ml for one Panigiri combo
1 to 2 wood care treatments	1 wood care treatment	350 - 500 ml for one Panigiri picnic
5 to 7 wood care treatments	2 to 3 wood care treatments	300 - 400 ml for one Panigiri table

### Certificates

- PEFC
- · Cradle to Cradle

### Warnings 🗘

#### General

- Do not use any sharp tools to open the packaging.
- · We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not grafitti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

#### **Product**

- Do not stand or jump on the table.
- Do not drag the table, but carry it with minimum 2 people.
- Max. 2 people or 529 lb per bench.

#### Wood

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun

- and rain. We recommend oiling the wood at regula intervals depending from location and general weather conditions.
- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

#### Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding NEN-EN13501-1 A2-sl -Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and fire growth.

and rain. We recommend oiling the wood at regular • Dark colors can get very hot in sunny weather.

#### Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

#### Sunbrella®

- Not waterproof, store inside!
- · Shake or brush off loose dirt immediately.
- UV color fasteness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in inch, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.