


Information: The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited.

This technical sheet remains subject to possible changes. All dimensions are in ft inch, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

TECH SHEET
20150722



PANTAGRUEL

{extremis}
tools for togetherness



Versions & options:


*Pantagruel galvanised | Pantagruel powder coated |
Pantagruel HPL | back rests | cushions | floor fastening*




BOX 1: 2 BENCHES



BOX 2: SUPPORTS



BOX 3: TABLETOP





BOX 4: 4 LEGS



Dimensions (ft inch)	Ø	H	ø ₁	ø ₂	l ₁	w ₁	h ₁
Pantagruel	7' 5"	2' 5"	4' 9"	2' 3"	0' 11"	0' 8"	1' 5"

Box dimensions (ft inch)		L	W	H	Qty (#)	Volume (ft³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Pantagruel galvanised	Box 1	4' 9"	1' 8"	0' 4"	2	5,65	128,49	7,54	
	Box 2	1' 6"	0' 5"	0' 4"	1	0,35	26,72	0,44	
	Box 3	5' 0"	5' 0"	0' 3"	1	8,48	136,64	10,67	
	Box 4	3' 1"	1' 0"	0' 10"	1	2,83	57,36	0,44	
	total:				17,31		349,21	19,09	
Pantagruel powder coated	Box 1	4' 9"	1' 8"	0' 4"	2	5,65	128,84	7,54	
	Box 2	1' 6"	0' 5"	0' 4"	1	0,35	26,72	0,44	
	Box 3	5' 0"	5' 0"	0' 3"	1	8,48	136,64	10,67	
	Box 4	3' 1"	1' 0"	0' 10"	1	2,83	50,66	0,44	
	total:				17,31		342,86	19,09	
Pantagruel HPL	Box 1	4' 9"	1' 8"	0' 4"	2	5,65	148,59	7,54	
	Box 2	1' 6"	0' 5"	0' 4"	1	0,35	26,72	0,44	
	Box 3	5' 0"	5' 0"	0' 3"	1	8,48	152,34	10,67	
	Box 4	3' 1"	1' 0"	0' 10"	1	2,83	50,66	0,44	
	total:				17,31		378,31	19,09	

OPTIONAL BACK RESTS





BOX 5: 2 BACK RESTS



Dimensions (ft inch)	Ø	H	h_i	l_i
Back rest	8' 0"	2' 7"	1' 4"	4' 2"

Box dimensions (ft inch)		L	W	H	Qty (#)	Volume (ft³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Back rest galvanised	Box 5	4' 7"	1' 6"	1' 5"	1	10,24	55,25	45,33	9,92
Back rest powder coated	Box 5	4' 7"	1' 6"	1' 5"	1	10,24	55,25	45,33	9,92

OPTIONAL CUSHIONS




BOX 6: 4 CUSHIONS



Dimensions (ft inch)	Ø	H	h_i	l_i
Cushions	7' 5"	1' 7"	0' 1"	4' 8"

Box dimensions (ft inch)		L	W	H	Qty (#)	Volume (ft³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Cushions	Box 6	4' 7"	1' 6"	0' 7"	1	4,59	11,89	5,25	6,64

OPTIONAL FLOOR FASTENING



BOX 7: FLOOR FASTENING



Dimensions (ft inch)	L	W	H
Floor fastening	0' 3"	0' 4"	0' 0,1"

Box dimensions (ft inch)		L	W	H	Qty (#)	Volume (ft³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Floor fastening	Box 7	0' 7"	0' 5"	0' 5"	1	0,35	2,00	1,85	0,15


FRAME, LEGS & BACK REST



TABLETOP & BENCH



CUSHIONS



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV colour fastness	Flame retarding
		inch	micron					
Powder coated steel frame, legs & back rests	<ul style="list-style-type: none"> easy to clean electro galvanised (for an extra protection against rust), then powder coated 	0,15	100	0,47 10 ³ lb/ft ³	outdoor & indoor	n.a.	very good: colour can fade a little bit when exposed to UV	NEN-EN13501-1 A1 *
Powder coated stainless steel bench support	<ul style="list-style-type: none"> easy to clean stainless steel (for protection against rust), then powder coated 	0,07	80	0,50 10 ³ lb/ft ³	outdoor & indoor	n.a.	very good: colour can fade a little bit when exposed to UV	NEN-EN13501-1 A1 *
Galvanised steel legs, frame and back rests	<ul style="list-style-type: none"> most durable method for protecting metal from rusting protective layer very long life span can perfectly be recycled 	0,31	50 - 100	0,47 10 ³ lb/ft ³	outdoor & indoor	n.a.	very good, galvanisation will however become dull when used outdoors	NEN-EN13501-1 A1 *
Iroko tabletop & benches	<ul style="list-style-type: none"> few maintenance feels nice in cold and very hot weather 	0,78	n.a.	37 à 43 lb/ft ³	outdoor & indoor	n.a.	untreated wood turns grey after a while	/
H.O.T. wood tabletop & bench	<ul style="list-style-type: none"> very ecological made from European ash very stable needs few maintenance carries the PEFC™ label for durable forestry feels nice in cold and very hot weather 	0,78	n.a.	37 lb/ft ³	outdoor & indoor	n.a.	untreated wood turns grey after a while	/
High pressure laminate Lazy Susan	<ul style="list-style-type: none"> manufactured under high pressure reinforced with wood fibres flat panel high impact resistance easy to clean 	0,51	n.a.	0,08 10 ³ lb/ft ³	outdoor & indoor	n.a.	>6 (EN438-2:27) en (ASTM G53-91)	/
Sunbrella cushions	<ul style="list-style-type: none"> 100% acrylic best outdoor fabric available for making cushions 	0,01	n.a.	9,17 oz/ft ²	outdoor & indoor	the fabric has a water column of 35 mbar (EN 20811)	7/8 (ISO 105-B02)	/

* NEN-EN13501-1 A1

Class A1 products will not contribute in any stage of the fire including the fully developed fire. For that reason they are assumed to be capable of satisfying automatically all requirements of all lower classes.

APPLICATIONS

Private: on terraces, patios, ...

Public: hotel and catering industry, company terraces, public spaces, ...

GOOD TO KNOW

1. PEFC[®] certified wood originates from sustainably managed forests.
2. The hole in the tabletop to place an umbrella is Ø 2,55 inch
3. Pantagruel combines perfectly with Inumbra ø35, ø40 & Inumbria ø38.



4. Pantagruel has a rotating Lazy Susan fitted into the tabletop, which makes it easy to share food/drinks/... at the table.



FLOOR FASTENING

Pantagruel comes with an optional floor anchoring set: four steel plates to be fixed with bolts. Use suitable bolts or screws from a DIY store depending on the material your terrace is made of: and combine them with this four-part floor-fastening set.



F.A.Q.

Q: Do you need to oil the wood?

A: When delivered, the wood is untreated. Exposure to sun and rain will gradually change their colour to silvery grey, and also roughen the surface. If you want to somewhat retain their original colour, you should oil them once a year. We recommend using RMC Hybrid Wood Protector. This treatment will also reduce the wood's proneness to splits, cracks, (grease) stain absorption, etc. To clean the wood you can use special products (www.rmc-extremis.com) or simply a stiff bristle brush and some water. Be careful not to irreparably damage the wood fibres. For this reason, never use a high pressure cleaner.

MAINTENANCE

Download the manuals from our website for maintenance instructions.