


Picnik

© design by Dirk Wynants & Xavier Lust


With standard feet
With floor fastening
With protective feet



Picnik with standard feet



BOX 1: PICNIK



Box dimensions (inch)		L	W	H	Qty (#)	Volume (ft³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Picnik with standard feet	Box 1	59,06	39,37	31,50	1	42,38	162,48	132,28	30,20


extremis®

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. **All dimensions are in inch**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech sheet
20200228

Tools for togetherness


Picnik with floor fastening feet



BOX 1: PICNIK

Box dimensions (inch)	L	W	H	Qty (#)	Volume (ft ³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)	
Picnik with floor fastening feet	Box 1	59,06	39,37	31,50	1	42,38	162,48	132,72	29,76

Picnik with protective feet



BOX 1: PICNIK

Box dimensions (inch)	L	W	H	Qty (#)	Volume (ft ³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)	
Picnik with protective feet	Box 1	59,06	39,37	31,50	1	42,38	162,48	132,72	29,76

Materials & colors



Structured
powder-coated



Structured powder-coating*

*Subject to change, check price list or www.extremis.com

Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV colour fastness	Flame retarding
		inch	micron					
Structured powder-coated aluminium	<ul style="list-style-type: none"> • A technique of applying dry paint to a part • Electrostatically charged and sprayed onto the object • Placed in an oven and powder particles melt and coalesce to form a continuous film • More scratch-resistant than non structured powder-coating 	0,39	50 - 100	0,17 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good: colour can fade to some extent when exposed to UV	NEN-EN 13501-1 A2-s1*

* NEN-EN13501-1 A2-s1

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.

Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colours can differ over years and from batch to batch.

people.

- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- There are protective feet for indoor use.
- Stackable up to 5 pieces and protect with blankets.
- Always stack the table with 2 people.
- The Picnik tabletop can bear a maximum load of 120 kg.
- Max. 2 people or 352,74 lb per bench.

the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.

- Dark colors can get very hot in sunny weather.

Product

- Do not drag the table, but carry it with minimum 2 people.
- Anchoring the product has to be done by qualified

Powder-coating

- White powder-coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Colour can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-sl - Satisfying

Applications

Residential: living room, kitchen, on terraces, patios or courtyard. Indoor as well as outdoor.

Project: hotel and catering industry, company terraces, public spaces, squares, event venues, schools, ...

Floor fastening

Picnik comes with an optional floor fastening set: four stainless steel feet to be fixed with bolts.



F.a.q.

Q: Is it possible to stack the table?

A: It is possible, but as it is quite heavy, it is not so often done. To avoid damage, use blankets.

Q: Is it easy to move the table?

A: With two people this is very doable.

Protective feet

Picnik comes with optional protective feet for delicate floors: four stainless steel feet with felt to be fixed with bolts.



Maintenance


Find maintenance instructions at the downloads section of extremis.com for:

POWDER-COATED PARTS

- White powder-coating obviously requires more maintenance.
- Clean stains with a magic eraser.

Good to know

- Also a miniature version of this iconic piece is available in shops.
- Picnik is cut out of one aluminium sheet without any loss of material.



Awards



Website

www.extremis.com/picnik