Marina combo

© Design by Metrica for Extremis, 2012

Dimensions

The Marina combo with three legs is available in 5 lengths and 2 widths







Dimensions (mm)	L	W 5 prof	W 6 prof	l1	l2	l3	l4	l5	w1 5 prof	w1 6 prof
Marina combo 360	3600	1540	1700	1650	1950	275	1100	1675	720	870
Marina combo 415	4150	1540	1700	2200	1950	550	1100	1675	720	870
Marina combo 470	4700	1540	1700	2750	1950	550	1650	1675	720	870
Marina combo 485	4850	1540	1700	2200	2650	550	1100	2375	720	870
Marina combo 595	5950	1540	1700	3300	2650	550	2200	2375	720	870

Dimensions

The Marina combo with four legs is available in one length and 2 widths





Dimensions (mm)	W 5 prof	W 6 prof	w1 5 prof	w1 6 prof
Marina combo 595	1540	1700	720	870

The Marina combo with five legs is available in one length and 2 widths







Dimensions (mm)	W 5 prof	W 6 prof	w1 5 prof	w1 6 prof
Marina combo 665	1540	1700	720	870

Box dimensions - Marina combo 3 legs

The Marina combo comes in 5 or 6 boxes

Box 1: 3 profiles

Box 2: 2 profiles

Box 3: 2 profiles for benches

Box 4: Set picnic legs + mounting kit

Box 5: Set table legs + mounting kit

Box 6: Endcaps (+ reinforcement profile) + mounting kit

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Marina combo 360	Box 1	3680	140	120	1	0,06	27,13	25,55	1,58
Tabletop width 720 mm	Box 2	3680	140	80	1	0,04	18,32	17,03	1,29
	Box 3	1730	140	80	2	0,04	18,08	17,20	1,08
	Box 4	870	218	75	2	0,03	33,20	31,60	1,60
	Box 5	870	145	75	1	0,01	8,90	8,10	0,80
	Box 6	870	145	75	1	0,01	3,82	3,42	0,40
					Total:	**0,19**	**109,45**	**102,90**	**6,75**
Marina combo 360	Box 1	3680	140	120	2	0,12	54,25	51,10	3,15
Tabletop width 870 mm	Box 2	3680	140	80	2	0,04	18,28	17,20	1,08
	Box 3	870	218	75	2	0,03	34,40	32,80	1,60
	Box 4	870	145	75	1	0,01	9,50	8,70	0,80
	Box 5	870	145	75	1	0,01	4,61	4,21	0,40
					Total:	**0,21**	**121,04**	**114,01**	**7,03**
Marina combo 415	Box 1	4230	140	120	1	0,07	31,37	29,79	1,58
Tabletop width 720 mm	Box 2	4230	140	80	1	0,05	21,15	19,86	1,29
	Box 3	2280	140	80	2	0,05	25,37	23,97	1,40
	Box 4	870	218	75	2	0,03	33,20	31,60	1,60
	Box 5	870	145	75	1	0,01	8,90	8,10	0,80
	Box 6	870	145	75	1	0,01	3,82	3,42	0,40
					Total:	**0,22**	**123,81**	**116,74**	**7,07**
Marina combo 415	Box 1	4230	140	120	2	0,14	62,72	59,57	3,15
Tabletop width 870 mm	Box 2	2280	140	80	2	0,05	25,37	23,97	1,40
	Box 3	870	218	75	2	0,03	34,40	32,80	1,60
	Box 4	870	145	75	1	0,01	9,50	8,70	0,80
	Box 5	870	145	75	1	0,01	4,61	4,21	0,40
					Total:	**0,24**	**136,60**	**129,25**	**7,35**
Marina combo 470	Box 1	4780	140	120	1	0,08	35,15	33,19	1,96
Tabletop width 720 mm	Box 2	4780	140	80	1	0,05	23,72	22,12	1,60
	Box 3	2830	140	80	2	0,06	30,20	28,50	1,70
	Box 4	870	218	75	2	0,03	33,20	31,60	1,60
	Box 5	870	145	75	1	0,01	8,90	8,10	0,80
	Box 6	870	145	75	1	0,01	3,82	3,42	0,40
					Total:	**0,24**	**134,99**	**126,93**	**8,06**
Marina combo 470	Box 1	4780	140	120	2	0,16	70,29	66,37	3,92
Tabletop width 870 mm	Box 3	2830	140	80	2	0,06	30,20	28,50	1,70
	Box 4	870	218	75	2	0,03	34,40	32,80	1,60
	Box 5	870	145	75	1	0,01	9,50	8,70	0,80
	Box 6	870	145	75	1	0,01	4,61	4,21	0,40
					Total:	**0,26**	**149,00**	**140,58**	**8,42**

Box dimensions - Marina combo 3 legs

The Marina combo comes in 5 or 6 boxes

Box 1: 3 profiles

Box 2: 2 profiles

Box 3: 2 profiles for benches

Box 4: Set picnic legs + mounting kit

Box 5: Set table legs + mounting kit

Box 6: Endcaps (+ reinforcement profile) + mounting kit

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Marina combo 485	Box 1	4930	140	120	1	0,08	37,36	35,40	1,96
Tabletop width 720 mm	Box 2	4930	140	80	1	0,05	25,20	23,60	1,60
	Box 3	2280	140	80	2	0,05	25,37	23,97	1,40
	Box 4	870	218	75	2	0,03	33,20	31,60	1,60
	Box 5	870	145	75	1	0,01	8,90	8,10	0,80
	Box 6	870	145	75	1	0,01	3,82	3,42	0,40
					Total:	**0,23**	**133,85**	**126,09**	**7,76**
Marina combo 485	Box 1	4930	140	120	2	0,17	74,73	70,81	3,92
Tabletop width 870 mm	Box 3	2280	140	80	2	0,05	25,37	23,97	1,40
	Box 4	870	218	75	2	0,03	34,40	32,80	1,60
	Box 5	870	145	75	1	0,01	9,50	8,70	0,80
	Box 6	870	145	75	1	0,01	4,61	4,21	0,40
					Total:	**0,27**	**148,64**	**140,49**	**8,12**
Marina combo 595	Box 1	6030	140	120	1	0,10	43,25	40,91	2,34
Tabletop width 720 mm	Box 2	6030	140	80	1	0,07	29,19	27,27	1,92
	Box 3	3380	140	80	2	0,08	35,06	33,03	2,03
	Box 4	870	218	75	2	0,03	33,20	31,60	1,60
	Box 5	870	145	75	1	0,01	8,90	8,10	0,80
	Box 6	870	145	75	1	0,01	3,82	3,42	0,40
					Total:	**0,30**	**153,42**	**144,33**	**9,09**
Marina combo 595	Box 1	6030	140	120	2	0,20	86,51	81,82	4,69
Tabletop width 870 mm	Box 3	3380	140	80	2	0,08	35,06	33,03	2,03
	Box 4	870	218	75	2	0,03	34,40	32,80	1,60
	Box 5	870	145	75	1	0,01	9,50	8,70	0,80
	Box 6	870	145	75	1	0,01	4,61	4,21	0,40
					Total:	**0,33**	**170,08**	**160,56**	**9,52**

Box dimensions - Marina combo 4 legs

The Marina combo comes in 5 or 6 boxes

Box 1: 3 profiles

Box 2: 2 profiles

Box 3: 2 profiles for benches

Box 4: Set picnic legs + mounting kit

Box 6: Endcaps (+ reinforcement profile) + mounting kit

Box 7: Endcaps + mounting kit

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Marina combo 595	Box 1	6030	140	120	1	0,10	43,25	40,91	2,34
Tabletop width 720 mm	Box 2	6030	140	80	1	0,07	29,19	27,27	1,92
	Box 3	1730	140	80	4	0,08	38,80	35,60	3,20
	Box 4	870	218	75	4	0,06	66,40	63,20	3,20
	Box 6	870	145	75	1	0,01	3,82	3,42	0,40
	Box 7	870	145	75	1	0,01	3,10	8,70	0,40
					Total:	**0,33**	**184,56**	**179,10**	**11,46**
Marina combo 595	Box 1	6030	140	120	2	0,20	86,51	81,82	4,69
Tabletop width 870 mm	Box 3	1730	140	80	4	0,08	38,80	35,60	3,20
	Box 4	870	218	75	4	0,06	68,80	65,60	3,20
	Box 6	870	145	75	1	0,01	4,61	4,21	0,40
	Box 7	870	145	75	1	0,01	3,82	3,42	0,40
					Total:	**0,36**	**202,54**	**190,54**	**11,89**

Box dimensions - Marina combo 5 legs

The Marina combo comes in 5 or 6 boxes

Box 1: 3 profiles

Box 2: 2 profiles

Box 3: 2 profiles for benches

Box 4: Set picnic legs + mounting kit

Box 5: Set table legs + mounting kit

Box 6: Endcaps (+ reinforcement profile) + mounting kit

Box dimensions (mm)		**L**	**W**	**H**	**Qty**	**Volume** (m3)	**Gross weight** (kg)	**Net weight** (kg)	**Packaging weight** (kg)
Marina combo 665	Box 1	6730	140	120	1	0,11	58,60	53,70	4,90
Tabletop width 720 mm	Box 2	6730	140	80	1	0,08	39,00	35,80	3,20
	Box 3	1730	140	80	4	0,08	38,80	35,60	3,20
	Box 4	870	218	75	4	0,06	66,40	63,20	3,20
	Box 5	870	145	75	1	0,01	8,90	8,10	0,80
	Box 6	870	145	75	1	0,01	3,82	3,42	0,40
					Total:	**0,35**	**215,52**	**199,82**	**15,70**
Marina combo 665	Box 1	6730	140	120	2	0,23	117,20	107,40	9,80
Tabletop width 870 mm	Box 2	1730	140	80	4	0,08	38,80	35,60	3,20
	Box 3	870	218	75	4	0,06	68,80	65,60	3,20
	Box 4	870	145	75	1	0,01	9,50	8,70	0,80
	Box 5	870	145	75	1	0,01	4,61	4,21	0,40
					Total:	**0,39**	**238,91**	**221,51**	**17,40**

Floor fastening

The floor fastening is available in one version

Floor fastening box

The floor fastening comes in 1 box

Box 8: Floor fastening

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Floor fastening	Box 8	205	145	150	1	0,01	0,30	0,23	0,07

Cushion

The cushions are available in 3 lengths





Cushion bag

The cushions come in 1 plastic bag

Bag 1: cushion

Dimensions (mm)	L
Cushion 165 cm	1650
Cushion 220 cm	2200
Cushion 275 cm	2750



Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Cushion 165 cm	Bag 1	1650	290	30	1	0,01	2,01	2,00	0,01
Cushion 220 cm	Bag 1	2200	290	30	1	0,02	2,71	2,70	0,01
Cushion 275 cm	Bag 1	2750	290	30	1	0,02	3,41	3,40	0,01

Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world,
plesae review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements

The Marina combo with three legs is wheelchair accessible



Dimensions (mm)	L	l1	l2	w1 5 prof	w1 6 prof
Marina combo 360	3600	275	1675	1000	1145
Marina combo 415	4150	550	1675	1000	1145
Marina combo 470	4700	550	1675	1000	1145
Marina combo 485	4850	550	2375	1000	1145
Marina combo 595	5950	550	2375	1000	1145

The Marina combo with four legs is wheelchair accessible



The Marina combo with five legs is wheelchair accessible



Dimensions (mm)	L	l1	l2	w1 5 prof	w1 6 prof
Marina combo 665	6650	275	1675	1000	1145

Marina combo + Captain’s Chairs

How many people can sit on a Marina picnic?

3 legs

360 cm
10 people
(4 Chairs)



415 cm
12 people
(4 Chairs)



470 cm
14 people
(4 Chairs)



485 cm
14 people
(6 Chairs)



595 cm
18 people
(6 Chairs)



4 legs

595 cm
18 people
(6 Chairs)



5 legs

665 cm
20 people
(8 Chairs)



Materials & colors

Check price list or www.extremis.com for current materials & colors

Tabletop, benches legs & endcaps

Off white (RAL9002)
Structured powder coating

Verdigris
Structured powder coating

Reed green (RAL6013)
Structured powder coating

Copper brown (RAL8004)
Structured powder coating

Sunbrella® cushions

Grey chiné
Sunbrella Natté

Dark taupe
Sunbrella Natté

Marble
Sunbrella Lopi

Leaf green
Sunbrella Heritage

Rust
Sunbrella Heritage

Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Coated fiberglass tabletop & benches	• Made with pultrusion technique: a non-stop process of fibre glass wires pulled through a bath of polyester • Strong • Lightweight	2,7	n.a.	1,80 $10^3 kg/m^3$	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	/
Structured powder coated zinced steel legs	• Easy to clean • Electro galvanized (for extra protection against rust), then powder coated • More scratch-resistant than non structured powder coating	3	100	7,50 $10^3 kg/m^3$	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN-EN13501-1 A1 *
Polyamide feet	• Injection-moulded nylon • Adjustable in height and surface	n.a.	n.a.	1,14 $10^3 kg/m^3$	Outdoor & indoor	n.a.	Very good	/
Sunbrella® cushions	• 100% Sunbrella Acrylic • Best outdoor fabric available for making cushions • Dirt repellent • Not waterproof, store inside! • Machine washable at max. 30°C. Ironing restores the protective layer	0,50	n.a.	260 g/m^2	Outdoor & indoor	The fabric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A1
Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

Warranty

Our quality promise, made solid. Material based warranty.

Each material has unique properties, and the warranty covers issues specific to each. Steel should not rust, coatings should not peel, and wood should not rot. We have outlined the warranty coverage for all materials in our Warranty Chart for your convenience.

Based on our 30 years of expertise with wood, fabrics and metals, we now offer 5 to 15 years warranty.

15 — YEAR WARRANTY	GALVANIZED STEEL Enjoy an impressive 15-year warranty on all galvanized steel parts. We proudly use this exceptional Cradle to Cradlecertified technique to protect steel from rusting, incorporating it into nearly all our designs.
5 — YEAR WARRANTY	COATED METALS, STAINLESS STEEL, WOOD AND SUNBRELLA We offer a comprehensive 5-year warranty on all powder coated metal parts, stainless steel components, wooden parts, and Sunbrella fabrics. This extension ensures that all key materials of our products are covered

	Galvanized steel	Stainless steel	Coated metals	Wood species	Sunbrella fabrics	Other materials
Structural — Functional	**15 years**	**5 years**	**5 years**	**5 years**	**5 years**	**2 years**
Rust	**15 years**	**5 years**	**5 years**			
Wood rot				**5 years**		
Cracks				**5 years** for cracks > 4 mm		

Terms apply: Please read our commercial warranty statement here

Good to know

- 55 cm bench space / person - 70 cm chair space / person.
- The average transport volume is 0,17m^3 / person, which is really low.
- Fiberglass reinforced polyester resin material is made with the so-called pultrusion technique. Pultrusion is a non-stop process of pulling fiberglass wires through a bath of polyester resin and letting them harden in a matrix afterwards to get their final shape.
- Main advantages of this material are its strength and low weight.



- Marina combo comines perfectly with Captain's Chairs.

Maintenance

www.extremis.com/maintenance

POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 10 cm.

F.A.Q.

Q: What is the biggest size possible?

A: We have produced a 30m table, the only problem is transport. We can deliver tables up to 6m without extra costs.

Q: Are the legs corrosion-resistant?

A: The legs are first galvanized, and powder-coated afterwards. This way, we have a double protection layer.

Q: Can we make different combinations?

A: The combinations on the previous pages are only suggestions. The only limit is your own imagination.

Floor fastening

Marina combo comes with an optional floor fastening set. Find more instructions in the manual.

Warnings ⚠

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not grafitti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.
- For public or commercial use, it is advisable to anchor picnic tables to a stable surface to enhance safety. For larger models or exceptional situations, the manufacturer can provide guidance on suitable alternatives.
- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- We strongly advise you against standing on top of the table! A concentrated load can cause small perceptible cracks in the profiles that might be visually annoying, although they do not affect the strength of the table in any way.
- For table with 3 legs or more, we recommend using trestles to attach the table leg assemblies to the tabletop, instead of keeping it upside down.

Coated fiberglass

- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Dark colors can get very hot in sunny weather.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-sl - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fasteness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.