# Captain's Chair

# extremis<sup>®</sup>

The Captain's high sliding Chair is available in one dimension

© Design by Metrica for Extremis, 2013



## Dimensions

The Captain's sliding Chair is available in one dimension



## **Box dimensions**

The Captain's sliding Chairs come in 2 boxes

Max. 6 shells per box: 0,29 m<sup>3</sup> | Gross weight: 27,20 kg | Net weight: 24,00 kg | Box height 5-6 shells: 480 mm | Box height 1-4 shells: 410 mm) Max. 6 sliding legs per box: 0,18 m<sup>3</sup> | Gross weight: 24,40 kg | Net weight: 21,00 kg

Max. 2 high sliding legs per box: 0,27 m<sup>3</sup> | Gross weight: 13,80 kg | Net weight: 10,40 kg

<u>Box 1</u>: Shell



Box 2: Legs + mounting kit



Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Sliding Chair	Box 1	735	665	410	1	0,20	7,20	4,00	3,20
1 piece	Box 2	590	590	470	1	0,16	6,90	3,50	3,40
					Total	0,36	14,10	7,50	6,60
High sliding Chair	Box 1	735	665	410	1	0,20	7,20	4,00	3,20
1 piece	Box 2	590	590	750	1	0,26	8,60	5,20	3,40
					Total	0,46	15,80	9,20	6,60

## Dimensions

The Pipe Chair is available in one dimension



## **Box dimensions**

The Pipe Chair comes in 2 boxes Max. 6 shells per box: 0,29  $\rm m^3$  | Gross weight: 27,20 kg | Net weight: 24,00 kg Box height 5-6 shells: 480 mm | Box height 1-4 shells: 410 mm

### <u>Box 1</u>: Shell

Box 3: Legs + frame + mounting kit



Box dimensions (mm)		L	w	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Pipe Chair	Box 1	735	665	410	1	0,20	7,20	4,00	3,20
1 piece	Box 3	464	318	79	1	0,01	5,80	5,30	0,50
					Total	0,21	13,00	9,30	3,70

## **Quilted cushion**

The quilted cushion is available in one dimension

The quilted cushions are delivered inside the box of the shells.



## Cushion

The **cushion** is available in one dimension The cushions are delivered inside the box of the shells.







446

## Colors







Dark taupe Sunbrella Natté



Marble Sunbrella Lopi

Charcoal Sunbrella Lopi

Leaf green Sunbrella Heritage

Rust Sunbrella Heritage

### High sliding legs

Black (RAL9005) wder coating

Earth Structured powder coating

Beach beige (RAL1019)

Off white (RAL9002)

Verdigris ructured powder coating

### Sunbrella® quilted cushions



Pipe legs

Black (RAL9005)

Structured powder coating

Beach beige (RAL1019)

Off white (RAL9002)

Earth

### Sliding legs

Earth

Black (RAL9005)

Structured powder coating

Beach beige (RAL1019)

ed powder coating



Verdigris ed powder coating

Off white (RAL9002)

Reed green (RAL6013)

Copper brown (RAL8004)

### Galvanized steel



## **Materials**

Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Polypropylene shell	Reinforced polypropylene (17% fiberglass)	5 - 8	n.a.	0,90 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good UV-resistance	/
Structured powder coated zinced steel legs (sliding & high sliding chair)	<ul> <li>Easy to clean</li> <li>Cold galvanized, then powder coated</li> </ul>	12	100	7,50 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN- EN13501- 1 A1 *
Hot dip galvanized steel (sliding chair)	<ul> <li>Most durable method for protecting metal from rusting</li> <li>Protective layer</li> <li>Very long life span</li> <li>100% recyclable</li> <li>Cradle to Cradle Certified<sup>™</sup></li> </ul>	2 - 10	50 - 100	7,50 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN- EN13501- 1 A1 *
Structured powder coated stainless steel legs (pipe chair)	<ul> <li>Easy to clean</li> <li>Stainless steel (for protection against rust), then powder coated</li> <li>More scratch-resistant than non structured powder coated</li> </ul>		80	8,00 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN- EN13501- 1 A1 *
Sunbrella® cushions	<ul> <li>100% Sunbrella Acrylic</li> <li>Best outdoor fabric available for making cushions</li> <li>Dirt repellent</li> <li>Not waterproof, store inside!</li> <li>Machine washable at max. 30°C. Ironing restores the protective layer</li> </ul>	0,50	n.a.	260 g/m <sup>2</sup>	Outdoor & indoor	The fa- bric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

<u>NEN-EN13501-1 A1</u>

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

<u>DIN 4102 - B2/M2</u>

Kleinbrenner: Class B2: All materials used in buildings in Germany need to meet the B2 requirement which is determined using a small flame test.

## Warranty

Our quality promise, made solid. Material based warranty.

Each material has unique properties, and the warranty covers issues specific to each. Steel should not rust, coatings should not peel, and wood should not rot. We have outlined the warranty coverage for all materials in our Warranty Chart for your convenience.

Based on our 30 years of expertise with wood, fabrics and metals, we now offer 5 to 15 years warranty.





## Good to know

- Because the shells and frames are separately stackable, they don't take up a lot of transport volume.
- No need for extra straps to fix the cushions.
- The quilted cushion perfectly fits into the shell. When not using the quilted cushion, simply fold it using the built-in strap and • button.
- There is a water drain and ventilation hole in the shell.
- Captain's Chair combines perfectly with:





With Marina combo







With Marina high table



With Hopper combo







With Pantagruel high table

### Maintenance

### SHELL

Use common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

#### POWDER COATED LEGS

Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

### GALVANIZED STEEL LEGS

Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

### SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner. .
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment. Rinse thoroughly to remove all soap residue.
- Simply allow to dry.

## F.A.Q.

### Q: Is the chair weatherproof?

A: Yes, except for the versions with wheels. The shell and frame of the Captain's Chair are made of durable, UV- & water proof materials. The shape of the shell makes sure water can evacuate easily

## Warnings 🛆

### General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the chair. Not grafitti proof.
- Do not leave children unattended whilst playing on the chair.
- To avoid danger of suffocation, keep plastic bags away from babies and children
- Colors can differ over years and from batch to batch.

#### Product

- Stains should be removed immediately with a clean, soft cloth, particularly in case of darkcolored liquids such as wine, ink, coffee, coke, oil or bird droppings. If left to dry, these liquids may cause permanent damage.
- The chairs are weatherproof, except for the versions with wheels
- Do not stand on the chairs. .

- Max. 120 kg per chair
- . Do not lean backwards, always stay on 4 feet.
- Store the cushions indoors when not used.
- Risk of suffocation in plastic bags.

#### Polypropylene

Avoid using aggressive & abrasive products. Very good UV-resistance.

#### Powder coating

- White powder coating requires more maintenance. Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV. Flame retarding - NEN-EN13501-1 A2-sl -
- Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

### Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

#### Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fasteness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only

Tech sheet 20250515

#### www.extremis.com/maintenance