## Hopper bench AA


© Design by Dirk Wynants for Extremis, 2019


# extremis<sup>®</sup>




### Dimensions

The Hopper bench AA is available in 2 lengths








### **Box dimensions**

The Hopper bench AA comes in 2 boxes

Box 1: Tabletop & bench profiles

Box 2: Legs + mounting kit





Box dimensions (mm)		L	w	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper bench AA 240	Box 1	2400	330	270	1	0,21	62,90	58,90	4,00
	Box 2	1125	635	625	1	0,45	37,40	21,20	16,20
					total:	0,66	100,30	80,10	20,20
Hopper bench AA 300	Box 1	3000	330	270	1	0,27	70,50	65,20	5,30
	Box 2	1125	635	625	1	0,45	37,40	21,20	16,20
					total:	0,72	107,90	86,40	21,50


#### **Stabilizing support**

The stabilizing support is available in 1 dimensions

### Stabilizing support box

The stabilizing support comes in 1 box

Box 3: Stabilizing support




#### **Floor fastening**

Hopper bench always comes with two anchoring holes per leg

When used freestanding with no stabilizing supports


Mark the spots on the ground | Use the fixing media most suited to the type of ground on which you intend to install Hopper bench



## Wheelchair accessibility dimensions


As specifications for wheelchair accessibility vary around the world,

plesae review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements









#### Tabletop, bench, legs & stabilizing support

Black (RAL9005) Structured powder coating	
Earth Structured powder coating	
Beach beige (RAL1019) Structured powder coating	
Off white (RAL9002) Structured powder coating	
Verdigris Structured powder coating	
Reed green (RAL6013) Structured powder coating	
Copper brown (RAL8004) Structured powder coating	

Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Structured powder coated aluminium tabletop, bench & legs	<ul> <li>A technique of applying dry paint to a part</li> <li>Electrostatically charged and sprayed onto the object</li> <li>More scratch-resistant than non structured powder coating</li> </ul>	8	50 - 100	2,70 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN -EN13501- 1 A2-s1 **
Structured powder coated zinced steel stabilizing support	<ul> <li>A technique of applying dry paint to a part</li> <li>Electrostatically charged and sprayed onto the object</li> <li>More scratch-resistant than non structured powder coating</li> </ul>	8	50 - 100	2,70 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN -EN13501- 1 A2-s1 **

NEN-EN13501-1 A2-sl

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth


#### Warranty

Our quality promise, made solid. Material based warranty.

Each material has unique properties, and the warranty covers issues specific to each. Steel should not rust, coatings should not peel, and wood should not rot. We have outlined the warranty coverage for all materials in our Warranty Chart for your convenience.

Based on our 30 years of expertise with wood, fabrics and metals, we now offer 5 to 15 years warranty.





#### Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- The Hopper bench legs are cut out of an aluminium or metal sheet nearly without any loss of material.

### Floor fastening

Hopper bench AA always has two anchoring holes per leg (ø 12mm), to be fixed with bolts.



### Important

Use our packaging material for better support to attach the legs to the tabletop.

- 1. Leave the box on the pallet.
- 2. Remove the lid of the box.
- 5. Put the tabletop on top of the box.
- 3. Take the legs out of the box.
- 4. Put the lid back on the box. 6. Assemble the Hopper bench AA.







#### Maintenance

www.extremis.com/maintenance

#### POWDER COATED PARTS

Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

#### **Applications**

Against a balustrade or against a wall.

Freestanding (anchored to the floor)

Freestanding with stabilizing supports







#### Warnings \Lambda

#### General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not grafitti proof.
- Do not leave children unattended whilst playing on . the table. To avoid danger of suffocation, keep plastic bags
- away from babies and children. Colors can differ over years and from batch to
- batch.
- Product Do not drag the bench, but carry it with minimum 2 people.

- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 240 cm: max. 5 people or 400 kg per bench 300 cm: max. 6 people or 480 kg per bench.
- Regularly clean the flat surface of the legs Always fix the Hopper bench to the ground when
- you are not using the stabilizing supports. The bench allows you to sit on the tabletop.

#### Powder coating

- White powder coating requires more maintenance. Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding NEN-EN13501-1 A2-sl -Satisfying the same criteria as Class B for the

SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and fire growth.

Dark colors can get very hot in sunny weather.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech sheet 20250515