

# Virus

© Design by Dirk Wynants for Extremis, 2016


extremis®



## Dimensions


The Virus 3-seater is available in one dimension and 2 versions

1. Standard tabletop with drainage holes and parasol hole
2. Solid tabletop, no parasol hole




The Virus 4-seater is available in one dimension and 2 versions

1. Standard tabletop with drainage holes and parasol hole
2. Solid tabletop, no parasol hole



The Virus 5-seater is available in one dimension and 2 versions

1. Standard tabletop with drainage holes and parasol hole
2. Solid tabletop, no parasol hole




# Box dimensions

The Virus comes in 2 boxes

Box 1: Tabletop + mounting kit



Box 2: Legs + seats




Max volume: **up to 10 legs with seats per box 2**

18.72 ft<sup>3</sup> | Gross weight: 140.65 lb | Net weight: 128.26 lb

| Box dimensions (inch) |       | L    | W    | H     | Qty   | Volume (ft <sup>3</sup> ) | Gross weight (lb) | Net weight (lb) | Packaging weight (lb) |
|-----------------------|-------|------|------|-------|-------|---------------------------|-------------------|-----------------|-----------------------|
| <b>Virus 3-seater</b> | Box 1 | 31.5 | 31.5 | 2.75  | 1     | 1.77                      | 36.60             | 32.63           | 3.97                  |
|                       | Box 2 | 45.0 | 31.0 | 14.75 | 1     | 12.01                     | 50.68             | 38.29           | 12.39                 |
|                       |       |      |      |       | Total | <b>13.77</b>              | <b>87.28</b>      | <b>70.92</b>    | <b>16.36</b>          |
| <b>Virus 4-seater</b> | Box 1 | 35.5 | 35.5 | 2.75  | 1     | 2.12                      | 43.21             | 39.24           | 3.97                  |
|                       | Box 2 | 45.0 | 31.0 | 14.75 | 1     | 12.01                     | 63.54             | 51.10           | 12.39                 |
|                       |       |      |      |       | Total | <b>14.13</b>              | <b>106.75</b>     | <b>90.35</b>    | <b>16.36</b>          |
| <b>Virus 5-seater</b> | Box 1 | 39.5 | 39.5 | 2.75  | 1     | 2.47                      | 52.03             | 47.62           | 4.41                  |
|                       | Box 2 | 45.0 | 31.0 | 14.75 | 1     | 14.48                     | 76.39             | 64.00           | 12.39                 |
|                       |       |      |      |       | Total | <b>16.95</b>              | <b>128.42</b>     | <b>111.62</b>   | <b>16.80</b>          |

## Backrest dimensions

The backrest is available in one dimension





## Box dimensions

The backrest comes in one box

Box 3: backrests


Max volume: **up to 10 backrests per box 3:**

2.47 ft<sup>3</sup> | Gross weight: 43.87 lb | Net weight: 42.11 lb



assembly position 2: lean back - allows more body depth

assembly position 1: standard




| Dimensions (inch)     | L <sub>position 1</sub> | L <sub>position 2</sub> | H     | Ø <sub>position 1</sub> | Ø <sub>position 2</sub> |
|-----------------------|-------------------------|-------------------------|-------|-------------------------|-------------------------|
| Backrests on 3-seater | /                       | /                       | 29,92 | 64,72                   | 65,91                   |
| Backrests on 4-seater | /                       | /                       | 29,92 | 68,66                   | 69,84                   |
| Backrests on 5-seater | /                       | /                       | 29,92 | 72,60                   | 73,78                   |

| Box dimensions (inch) |       | L     | W    | H    | Qty | Volume (ft <sup>3</sup> ) | Gross weight (lb) | Net weight (lb) | Packaging weight (lb) |
|-----------------------|-------|-------|------|------|-----|---------------------------|-------------------|-----------------|-----------------------|
| Backrest              | Box 3 | 21.25 | 13.5 | 12.5 | 1   | 2.12                      | 5.97              | 4.21            | 1.76                  |

## Cushions dimensions

The cushion is available in 1 dimension


The optional cushions are delivered inside the box with the legs & seats: 0.68 lb/pc



## Floor fastening dimensions

The floor fastening is available in 1 dimension


The optional floor fastening is delivered inside the box with the legs & seats: 0.29 lb/pc




# Materials & colors

Check price list or [www.extremis.com](http://www.extremis.com) for current materials & colors

## Tabletop, frame, seats, legs & backrests



## Sunbrella® cushions



| Materials  | Key facts  | Thickness | Layer thickness | Density                                 | In/outdoor               | Water  | UV color fastness   | Flame retarding         |
|--|--|-----------|-----------------|---|--------------------------|--|---|-------------------------|
|  |  | inch      | micron          |   |                          |  |   |                         |
| Structured powder coated ZnAlMg steel tabletop                   | <ul style="list-style-type: none"> <li>A technique of applying dry paint to a part</li> <li>Electrostatically charged and sprayed onto the object</li> <li>More scratch-resistant than non structured powder coated</li> </ul>   | 0.06      | 60              | 0.47 10 <sup>3</sup> lb/ft <sup>3</sup> | Outdoor & indoor         | n.a.   | Very good: color can fade to some extent when exposed to UV | NEN-EN 13501-1 A2-s1 ** |
| Structured powder coated aluminium seats                         | <ul style="list-style-type: none"> <li>A technique of applying dry paint to a part</li> <li>Electrostatically charged and sprayed onto the object</li> <li>More scratch-resistant than non structured powder coating</li> </ul>  | 0.31      | 50 - 100        | 0,47 10 <sup>4</sup> lb/ft <sup>3</sup> | Outdoor & indoor         | n.a.   | Very good: color can fade to some extent when exposed to UV | NEN -EN13501-1 A2-s1 ** |
| Structured powder coated electro galvanized steel tabletop frame | <ul style="list-style-type: none"> <li>Easy to clean</li> <li>Electro galvanised (for an extra protection against rust), then powder coated</li> <li>More scratch-resistant than non structured powder coated</li> </ul>   | 0.16      | 100             | 0.47 10 <sup>3</sup> lb/ft <sup>3</sup> | Outdoor & indoor         | n.a.   | Very good: color can fade to some extent when exposed to UV | NEN-EN13501-1 A1 *      |
| Structured powder coated stainless steel legs                    | <ul style="list-style-type: none"> <li>Easy to clean</li> <li>Stainless steel (for protection against rust), then powder coated</li> <li>More scratch-resistant than non structured powder coated</li> </ul>   | 0.08      | 80              | 0.50 10 <sup>3</sup> lb/ft <sup>3</sup> | Outdoor & indoor         | n.a.   | Very good: color can fade to some extent when exposed to UV | NEN-EN13501-1 A1 *      |
| Sunbrella® cushions  | <ul style="list-style-type: none"> <li>100% Sunbrella Acrylic</li> <li>Best outdoor fabric available for making cushions</li> <li>Dirt repellent</li> <li>Not waterproof, store inside!</li> <li>Machine washable at max. 30°C. Ironing restores the protective layer</li> </ul> | 0.01      | n.a.            | 9.53 oz/ft <sup>2</sup>                 | Outdoor & indoor         | The fabric has a water column of 350 mm (EN 20811) | 7/8 (ISO 105-B02)   | /                       |
| Stainless steel AISI 316 floor fastening                         | <ul style="list-style-type: none"> <li>High rust resistance</li> <li>Periodical maintenance required</li> </ul>  | 0.06      | n.a.            | 0.50 10 <sup>3</sup> lb/ft <sup>3</sup> | Outdoor & indoor version | n.a.   | Very good   | NEN-EN13501-1 A1 *      |

### NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

### NEN-EN13501-1 A2-sl


Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

# Warranty

Our quality promise, made solid. Material based warranty.

Each material has unique properties, and the warranty covers issues specific to each. Steel should not rust, coatings should not peel, and wood should not rot. We have outlined the warranty coverage for all materials in our Warranty Chart for your convenience.

Based on our 30 years of expertise with wood, fabrics and metals, we now offer 5 to 15 years warranty.

|   |   |
|---|---|
| <p><b>15 — YEAR</b></p>  | <p><b>GALVANIZED STEEL</b><br/>         Enjoy an impressive 15-year warranty on all galvanized steel parts. We proudly use this exceptional Cradle to Cradle certified technique to protect steel from rusting, incorporating it into nearly all our designs.</p>                                   |
| <p><b>5 — YEAR</b></p>   | <p><b>COATED METALS, STAINLESS STEEL, WOOD AND SUNBRELLA</b><br/>         We offer a comprehensive 5-year warranty on all powder coated metal parts, stainless steel components, wooden parts, and Sunbrella fabrics. This extension ensures that all key materials of our products are covered</p> |

|   |  |  |  |  |  |  |
|---|---|---|---|--|---|---|
|   | Galvanized steel  | Stainless steel   | Coated metals   | Wood species   | Sunbrella fabrics   | Other materials   |
| Structural — Functional   | <b>15 years</b>   | <b>5 years</b>  | <b>5 years</b>  | <b>5 years</b>   | <b>5 years</b>  | <b>2 years</b>  |
| Rust  | <b>15 years</b>   | <b>5 years</b>  | <b>5 years</b>  |  |   |   |
| Wood rot  |   |   |   | <b>5 years</b>   |   |   |
| Cracks  |   |   |   | <b>5 years</b><br>for cracks > 4 mm  |   |   |
| Terms apply: Please read our commercial warranty statement <a href="#">here</a> |   |   |   |  |   |   |

## Good to know

- Acquiring a Virus table is space saving. Virus requires only the exact space that is needed for a company of 3, 4 or 5 people. The identical seating frame is configured around a tabletop that fits exactly what you need for a simple lunch or breakfast. Nothing more, nothing less.
- There is a version with a flat tabletop and a version with drainage holes & parasol hole of ø1.5 inch.
- Virus combines perfectly with Acacia or Inumbrina medium (only with parasol foot).



- Stacking spacer (& purse hanger) included.
- Our Virus picnic tables are stackable up to 3 high. Stack them with equal number of seats. A 3-seater needs three pieces, a 4-seater needs four pieces, and so on.



## Maintenance

[www.extremis.com/maintenance](http://www.extremis.com/maintenance)

### POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

### SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis multi cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.

## F.A.Q.

*Q: Is it possible to stack the table?*

A: It is possible. You can stack Virus up to 3 pieces with equal number of seats. To avoid damage, use blankets.

*Q: Why are the seats hollow?*

A: For comfort reason and water drainage.

## Fun fact

The holes in the tabletop are a pattern of stars in the galaxy M101 (Pinwheel Galaxy).

## Warnings

### **General**

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

### **Product**

- Do not stand or jump on the table.
- Do not drag the table, but carry it with minimum 2

people.

- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- Stackable up to 3 pieces and protect with blankets.
- Always stack the tables with 2 people.
- Do not sit on the tabletop.
- Max. 1 person or 265 lb per seat.

### Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.

- Flame retarding - NEN-EN13501-1 A2-sl - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

### Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fastness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in **inch**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**Tech  
sheet**  
20250519