

Marina table


© Design by Metrica for Extremis, 2012

extremis®




Dimensions

The Marina table with two legs is available in 4 lengths and 2 widths



Dimensions (inch)	L	W 5 prof	W 6 prof	l1
Marina table 76.75	76.75	28.5	34.25	55.0
Marina table 104.25	104.25	28.5	34.25	82.75
Marina table 132.0	132.0	28.5	34.25	110.25
Marina table 159.5	159.5	28.5	34.25	137.75

The Marina table with three legs is available in 4 lengths and 2 widths



Dimensions (inch)	L	W 5 prof	W 6 prof	l1	l2
Marina table 187.0	187.0	28.5	34.25	82.75	82.75
Marina table 214.5	214.5	28.5	34.25	110.25	82.75
Marina table 242.25	242.25	28.5	34.25	110.25	110.25
Marina table 269.75	269.75	28.5	34.25	137.75	110.25

Box dimensions - Marina table 2 legs

The Marina table comes in 3 or 4 boxes

Box 1: 3 profiles



Box 2: 2 profiles



Box 3: Set table legs + mounting kit



Box 4: Endcaps (+ reinforcement profiles) + mounting kit



Box dimensions (inch)		L	W	H	Qty	Volume (ft3)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Marina table 76.75	Box 1	79.92	5.51	4.72	1	1.06	37.92	34.61	3.31
Tabletop width 28.5 in	Box 2	79.92	5.51	3.15	1	0.71	25.13	23.15	1.98
	Box 3	34.25	5.71	2.95	2	0.71	39.24	35.71	3.53
	Box 4	34.25	5.71	2.95	1	0.35	4.89	4.14	0.75
					Total:	2.83	107.19	97.62	9.57
Marina table 76.75	Box 1	79.92	5.51	4.72	2	2.47	75.84	69.23	6.61
Tabletop width 34.25 in	Box 3	34.25	5.71	2.95	2	0.71	41.89	38.36	3.53
	Box 4	34.25	5.71	2.95	1	0.35	5.78	4.89	0.88
					Total:	3.53	123.50	112.48	11.02
Marina table 104.25	Box 1	107.48	5.51	4.72	1	1.77	51.59	47.18	4.41
Tabletop width 28.5 in	Box 2	107.48	5.51	3.15	1	1.06	34.17	31.53	2.65
	Box 3	34.25	5.71	2.95	2	0.71	39.24	35.71	3.53
	Box 4	34.25	5.71	2.95	1	0.35	4.89	4.14	0.75
					Total:	3.88	129.90	118.56	11.33
Marina table 104.25	Box 1	107.48	5.51	4.72	2	3.18	103.18	94.36	8.82
Tabletop width 34.25 in	Box 3	34.25	5.71	2.95	2	0.71	41.89	38.36	3.53
	Box 4	34.25	5.71	2.95	1	0.35	5.78	4.89	0.88
					Total:	4.24	150.84	137.61	13.23
Marina table 132.0	Box 1	135.04	5.51	4.72	1	2.12	65.04	59.52	3.31
Tabletop width 28.5 in	Box 2	135.04	5.51	3.15	1	1.41	43.21	39.68	3.53
	Box 3	34.25	5.71	2.95	2	0.71	39.24	35.71	3.53
	Box 4	34.25	5.71	2.95	1	0.35	7.52	6.64	0.88
					Total:	4.59	155.01	141.56	11.24
Marina table 132.0	Box 1	135.04	5.51	4.72	2	4.24	130.07	119.05	11.02
Tabletop width 34.25 in	Box 3	34.25	5.71	2.95	2	0.71	41.89	38.36	3.53
	Box 4	34.25	5.71	2.95	1	0.35	10.05	9.17	0.88
					Total:	5.30	177.74	162.30	15.43
Marina table 159.5	Box 1	162.60	5.51	4.72	1	2.47	78.71	72.09	6.61
Tabletop width 28.5 in	Box 2	162.60	5.51	3.15	1	1.77	52.25	48.06	4.19
	Box 3	34.25	5.71	2.95	2	0.71	39.24	35.71	3.53
	Box 4	34.25	5.71	2.95	1	0.35	7.52	6.64	0.88
					Total:	5.30	177.71	162.50	15.21
Marina table 159.5	Box 1	162.60	5.51	4.72	2	4.94	157.41	144.18	13.23
Tabletop width 34.25 in	Box 3	34.25	5.71	2.95	2	0.71	41.89	38.36	3.53
	Box 4	34.25	5.71	2.95	1	0.35	10.05	9.17	0.88
					Total:	6.00	205.07	187.44	17.64

Box dimensions - Marina table 3 legs

The Marina table comes in 3 or 4 boxes

Box 1: 3 profiles



Box 2: 2 profiles



Box 3: Set table legs + mounting kit



Box 4: Endcaps (+ reinforcement profiles) + mounting kit



Box dimensions (inch)		L	W	H	Qty	Volume (ft3)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Marina table 187.0	Box 1	190.16	5.51	4.72	1	2.83	92.37	84.44	7.94
Tabletop width 28.5 in	Box 2	190.16	5.51	3.15	1	1.77	61.51	56.44	5.07
	Box 3	34.25	5.71	2.95	3	1.06	58.86	53.57	5.29
	Box 4	34.25	5.71	2.95	1	0.35	7.52	6.64	0.88
Total:						6.00	217.64	198.59	6.17
Marina table 187.0	Box 1	190.16	5.51	4.72	2	5.65	184.75	168.87	15.87
Tabletop width 34.25 in	Box 3	34.25	5.71	2.95	3	1.06	62.83	57.54	5.29
	Box 4	34.25	5.71	2.95	1	0.35	10.05	9.17	0.88
Total:						7.06	253.36	231.31	22.05
Marina table 214.5	Box 1	217.72	5.51	4.72	1	3.18	106.04	97.00	9.04
Tabletop width 28.5 in	Box 2	217.72	5.51	3.15	1	2.12	70.55	64.60	5.95
	Box 3	34.25	5.71	2.95	3	1.06	58.86	53.57	5.29
	Box 4	34.25	5.71	2.95	1	0.35	10.76	9.88	0.88
Total:						6.71	242.97	221.81	21.16
Marina table 214.5	Box 1	217.72	5.51	4.72	2	6.71	212.08	194.01	18.08
Tabletop width 34.25 in	Box 3	34.25	5.71	2.95	3	1.06	62.83	57.54	5.29
	Box 4	34.25	5.71	2.95	1	0.35	14.33	13.45	0.88
Total:						8.12	280.69	256.44	24.25
Marina table 242.25	Box 1	245.28	5.51	4.72	1	3.53	119.49	109.35	10.14
Tabletop width 28.5 in	Box 2	245.28	5.51	3.15	1	2.47	79.59	72.97	6.61
	Box 3	34.25	5.71	2.95	3	1.06	58.86	53.57	5.29
	Box 4	34.25	5.71	2.95	1	0.35	10.76	9.88	0.88
Total:						7.42	262.09	245.77	22.93
Marina table 242.25	Box 1	245.28	5.51	4.72	2	7.42	238.98	218.70	20.28
Tabletop width 34.25 in	Box 3	34.25	5.71	2.95	3	1.06	62.83	57.54	5.29
	Box 4	34.25	5.71	2.95	1	0.35	14.33	13.45	0.88
Total:						8.83	307.59	281.13	26.46
Marina table 269.75	Box 1	272.83	5.51	4.72	1	4.24	133.16	121.92	11.24
Tabletop width 28.5 in	Box 2	272.83	5.51	3.15	1	2.83	88.63	81.35	7.28
	Box 3	34.25	5.71	2.95	3	1.06	58.86	53.57	5.29
	Box 4	34.25	5.71	2.95	1	0.35	10.76	9.88	0.88
Total:						8.48	291.41	266.72	24.69
Marina table 269.75	Box 1	272.83	5.51	4.72	2	8.12	266.32	243.83	22.49
Tabletop width 34.25 in	Box 3	34.25	5.71	2.95	3	1.06	62.83	57.54	5.29
	Box 4	34.25	5.71	2.95	1	0.35	14.33	13.45	0.88
Total:						9.53	334.93	306.27	28.66

Floor fastening

The floor fastening is available in one version

Floor fastening box

The floor fastening comes in 1 box

Box 8: Floor fastening




Box dimensions (inch)		L	W	H	Qty	Volume (ft3)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Floor fastening	Box 8	8.0	5.75	6.0	1	0,35	0,66	0,51	0,15

Wheelchair accessibility dimensions


As specifications for wheelchair accessibility vary around the world, please review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements

The Marina table with two legs is wheelchair accessible



Dimensions (inch)	L	l1
Marina table 76.75	76.75	55.0
Marina table 104.25	104.25	82.75
Marina table 132.0	132.0	110.25
Marina table 159.5	159.5	137.75









The Marina table with three legs is wheelchair accessible



Dimensions (inch)	L	l1	l2
Marina table 187.0	187.0	82.75	82.75
Marina table 214.5	214.5	110.25	82.75
Marina table 242.25	242.25	110.25	110.25
Marina table 269.75	269.75	137.75	110.25

Marina table + Captain's Chairs


How many people can sit on a Marina table?

2 legs	76.75 in 4 Chairs		
	104.25 in 6 Chairs		
	132.0 in 8 Chairs		
	159.5 in 10 Chairs		
3 legs	187.0 in 12 Chairs		
	214.5 in 14 Chairs		The position of the legs is asymmetrical
	242.25 in 16 Chairs		
	269.75 in 18 Chairs		The position of the legs is asymmetrical

Materials & colors

Check price list or www.extremis.com for current materials & colors

Tabletop, legs & endcaps



Off white (RAL9002)
Structured powder coating



Verdigris
Structured powder coating



Reed green (RAL6013)
Structured powder coating



Copper brown (RAL8004)
Structured powder coating



Materials	Key facts	Thickness inch	Layer thickness micron	Density	In/outdoor	Water	UV color fastness	Flame retarding
Coated fiberglass tabletop	<ul style="list-style-type: none"> Made with pultrusion technique: a non-stop process of fibre glass wires pulled through a bath of polyester Strong Lightweight 	0,10	n.a.	0,11 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	/
Structured powder coated zinc steel legs	<ul style="list-style-type: none"> Easy to clean Electro galvanized (for extra protection against rust), then powder coated More scratch-resistant than non structured powder coating 	0,11	100	0,47 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN-EN13501-1 A1 *
Polyamide feet	<ul style="list-style-type: none"> Injection-moulded nylon Adjustable in height and surface 	n.a.	n.a.	0,07 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good	/

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.







Warranty

Our quality promise, made solid. Material based warranty.

Each material has unique properties, and the warranty covers issues specific to each. Steel should not rust, coatings should not peel, and wood should not rot. We have outlined the warranty coverage for all materials in our Warranty Chart for your convenience.


Based on our 30 years of expertise with wood, fabrics and metals, we now offer 5 to 15 years warranty.

<div>15 — YEAR</div> <div></div>	<div>GALVANIZED STEEL</div> <div>Enjoy an impressive 15-year warranty on all galvanized steel parts. We proudly use this exceptional Cradle to Cradle certified technique to protect steel from rusting, incorporating it into nearly all our designs.</div>
<div>5 — YEAR</div> <div></div>	<div>COATED METALS, STAINLESS STEEL, WOOD AND SUNBRELLA</div> <div>We offer a comprehensive 5-year warranty on all powder coated metal parts, stainless steel components, wooden parts, and Sunbrella fabrics. This extension ensures that all key materials of our products are covered</div>

						
	Galvanized steel	Stainless steel	Coated metals	Wood species	Sunbrella fabrics	Other materials
Structural — Functional	15 years	5 years	5 years	5 years	5 years	2 years
Rust	15 years	5 years	5 years			
Wood rot				5 years		
Cracks				5 years for cracks > 4 mm		
Terms apply: Please read our commercial warranty statement here						

Good to know

- 27.5 in chair space / person.
- The average transport volume is 6.0 ft³ / person, which is really low.
- Fiberglass reinforced polyester resin material is made with the so-called pultrusion technique. Pultrusion is a non-stop process of pulling fiberglass wires through a bath of polyester resin and letting them harden in a matrix afterwards to get their final shape.
- Main advantages of this material are its strength and low weight.



- Marina table comes perfectly with Captain's Chairs.



Maintenance

www.extremis.com/maintenance

POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

F.A.Q.

Q: What is the biggest size possible?

A: We have produced a 1181 inch table, the only problem is transport. We can deliver tables up to 236.25 inch without extra costs.

Q: Are the legs corrosion-resistant?

A: The legs are first galvanized, and powder-coated afterwards. This way, we have a double protection layer.

Floor fastening

Marina table comes with an optional floor fastening set. Find more instructions in the manual.



Warnings ⚠

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.
- Anchoring the product has to be done by qualified people.

- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- We strongly advise you against standing on top of the table! A concentrated load can cause small perceptible cracks in the profiles that might be visually annoying, although they do not affect the strength of the table in any way.
- For table with 3 legs or more, we recommend using trestles to attach the table leg assemblies to the tabletop, instead of keeping it upside down.

Coated fiberglass

- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Dark colors can get very hot in sunny weather.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-s1 - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in inch, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**Tech
sheet**
20250611