

Romeo & Juliet




© design by Koen Baeyens, Stijn Goethals & Basile Graux

extremis®



Dimensions


The Romeo & Juliet is available in one dimension




Box dimensions

The Romeo & Juliet comes in 2 boxes

Box 1: Benchtop




Box 2: Pots + mounting kit



Box dimensions (inch)		L	W	H	Qty	Volume (ft ³)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Romeo & Juliet	Box 1	129.25	30.0	4.75	1	10.59	266.72	256.73	9.99
	Box 2	24.75	24.75	22.0	1	7.77	24.60	20.72	3.88
Total:						19.78	291.32	277.45	13.87

Connection piece

The connection piece is available in one dimension



28.75



5.5


Connection piece box

The connection piece comes in 1 box

Box 3: Connection piece



Box dimensions (inch)		L	W	H	Qty	Volume (ft.3)	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Connection piece	Box 3	30.0	6.75	4.75	1	0.71	19.86	17.66	2.20



Materials & colors

Check price list or www.extremis.com for current materials & colors

Benchtop



Jatoba hardwood

Structural parts




Galvanized steel

Polyester pot




Grey
RAL7010



White
RAL9016




Materials	Key facts	Thickness inch	Layer thickness micron	Density	In/outdoor	Water	UV color fastness	Flame retarding
Jatoba benchtop	 <ul style="list-style-type: none"> • Durability CLASS 1 • Exceptional quality • Characteristics: durability & stability • Bleeds when wood is exposed to rain for the first few times • The dye is water-soluble • Carries the FSC® label for durable forestry • Feels comfortable in all weather conditions • Advisable to oil the wood 	1.37	n.a.	51.81 lb/ft ³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hot dip galvanized steel structural parts	<ul style="list-style-type: none"> • Most durable method for protecting metal from rusting • Protective layer • Very long life span • 100% recyclable • Cradle to Cradle Certified™ 	0.07 - 0.39	50 - 100	0.47 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN-EN13501-1 A1 *
Polyester flower pot	<ul style="list-style-type: none"> • Gel coating is sprayed onto the mould • The coating protects the polyester underneath against UV radiation 	0.09 - 0.11	30 - 60	0.10 10 ³ lb/ft ³	Outdoor & indoor	n.a.	Very good: colour can fade to some extent when exposed to UV	NEN-EN 13501-1 C**

NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

NEN-EN13501-1 C As class D, but satisfying more stringent requirements.

Good to know

- The Jatoba wood used in Romeo & Juliet is FSC® certified, which ensures that the wood we buy is sourced from legal, well-managed forests.
- Planting in an inner container, creating a water reservoir: drill an overflow hole in the side of the polyester container 9 cm above the ground to allow excess water to drain away.



- It's possible to attach several Romeo & Juliet benches to each other using a coupler. The space between the trees will always remain the same.



F.A.Q.

Q: Which plant fits the best in the pots?

A: We advise to choose a small tree or plant which climbs high and doesn't grow too wide. Preferably choose a plant which fits in the climate in which the bench will be used. Ask your florist for advice.

Q: Do you need to oil the wood?

A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

Maintenance

GALVANIZED PARTS


- Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

WOOD

- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

Floor fastening

Romeo & Juliet comes with optional floor fastening. Drill two hole in each polyester container where indicated. Use suitable bolts or screws from a specialized store depending on the material your terrace is made of



Warnings ⚠

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the bench.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the bench.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- We advise to choose a small tree or plant which climbs high and doesn't grow too wide. Preferably choose a plant which fits in the climate in which the bench will be use. Ask your florist for advice.
- You can plant the shrubs either straight into the polyester containers or in the optional inner containers, thus creating awater reservoir. Not all plants like wet feet though.

- With most plants, the customer needs to provide a drainage hole in the outer pots.
- When not anchored, no corpulent people at one side.
- Do not stand or jump on the bench because this can damage the pots.
- Romeo & Juliet can only be used as a bench for sitting on when the pots are full of earth or when the pots are attached to the ground.
- For this, the pots must either be filled to the top edge with earth or weigh 110 lb.
- Max. 8 people or 1411 lb.

Wood

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.

- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding - NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.