# **Extempore**


© design by Arnold Merckx






## **Dimensions**

The Extempore chair is available in one dimension









22.75

### **Box dimensions**

The Extempore chair comes in 1 box


Max. 4 chairs per box: 18.01 ft $^3$  | Gross weight: 54.48 lb | Net weight: 43.12 lb

Box 1: Chair



Box dimensions (inch)		L	W	Н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (в)	Packaging weight (Ib)
Extempore chair	Box 1	31.25	26.75	37.0	1	18.01	22.13	10.78	11.35


The Extempore <u>lounge chair</u> is available in one dimension



### **Box dimensions**

The Extempore lounge chair comes in 1 box Max. 2 chairs per box:  $15.89 \, \text{ft}^3$  Gross weight:  $15.89 \, \text{ft}^3$  Gross weig


Box 2: Lounge chair




Box dimensions (inch)		L	W	Н	Qty	Volume (ft3)	Gross weight (ம)	Net weight (в)	Packaging weight (16)	
Extempore lounge chair	Box 2	31.5	23.25	37.75	1	15.89	24.56	11.79	12.76	_

### **Dimensions**

The Extempore <u>sunlounger</u> is available in one dimension



19.75 **25.75** 




### **Box dimensions**

The Extempore sunlounger comes in 1 box

Max. 2 chairs per box: 38.49 ft³ | Gross weight: 52.56 lb | Net weight: 30.51 lb

Box 3: Sunlounger



Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (в)	Net weight (Ib)	Packaging weight (lb)
Extempore sunlounger	Вох 3	64.75	26.25	39.5	1	38.49	36.80	14.75	22.05

The Extempore <u>footrest</u> is available in one dimension

## **Box dimensions**


The Extempore footrest comes in 1 box

Box 4: Footrest









Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (lb)	Packaging weight (Ib)
Extempore footrest	Box 4	25.5	20.25	17.0	1	4.94	14.73	9.22	5.51









**Box dimensions** 

Box 5: Tabletop + legs + mounting kit







Dimensions (inch)	L
Table 135	53.25
Table 180	70.75
Table 225	88.5
Table 270	106.25

Box dimensions (inch)		L	W	Н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (в)	Packaging weight (16)
Table 135	Box 5	54.25	36.5	5.0	1	6.36	134.57	123.46	11.11
Table 180	Box 5	72.0	36.5	5.0	1	8.12	166.76	154.19	12.57
Table 225	Box 5	89.75	36.5	5.0	1	10.24	208.14	192.51	15.63
Table 270	Box 5	107.5	36.5	5.0	1	11.65	232.61	216.98	15.63

The Extempore tables in combination with Extempore chairs Table 135




Table 180




Table 225






Table 270




The Extempore square table is available in one dimension





31.5



## **Box dimensions**


The Extempore square table comes in 1 box

Box 6: Tabletop + legs + mounting kit




Box dimensions (inch)		L	W	Н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (в)	Packaging weight (1b)	
Square table 80x80	Box 6	32.75	32.75	5.25	1	3.18	112.11	102.56	9.55	


The Extempore square table in combination with Extempore chairs



The Extempore <u>high table</u> is available in 2 lengths



41.25



### **Box dimensions**

The Extempore high table comes in 2 boxes

Box 7: Tabletop + legs + mounting kit



Box 8: Footrest



Dimensions (inch)	L
Table 135	53.25
Table 270	106.25


Box dimensions (inch)		L	W	н	Qty	Volume (ft3)	Gross weight (16)	Net weight (в)	Packaging weight (Ib)
High table 135	Box 7	54.25	29.25	5.25	1	4.94	128.26	122.80	5.47
	Box 8	54.25	2.75	2.0	1	0.35	19.14	13.67	5.47
					Total:	5.30	151.81	140.88	10.93
High table 270	Box 7	107.5	29.25	5.25	1	9.53	211.84	201.86	9.99
	Box 8	54.25	2.75	2.0	1	0.35	28.75	19.71	9.04
					Total:	9.89	240.59	221.56	19.03

### **Dimensions**

The Extempore <u>high bench</u> is available in 2 lengths







29.5

### **Box dimensions**

The Extempore high bench comes in 2 boxes

Box 9: Benchtop + legs + mounting kit



Box 10: Footrest




Box dimensions (inch)		L	W	Н	Qty	Volume (ft3)	Gross weight (в)	Net weight (Ib)	Packaging weight (Ib)
High bench	Box 9	36.5	14.5	5.25	1	1.77	70.5	60.52	9.99
	Box 10	36.5	2.75	2.0	1	0.35	6.24	1.72	4.52
					Total:	2.12	76.74	62.24	14.51

The Extempore <u>bench</u> is available in 5 lengths





17.75



### **Box dimensions**

The Extempore bench comes in 1 box

Box 11: Benchtop + legs + mounting kit



Dimensions (inch)	L
Bench 90	35.5
Bench 135	53.25
Bench 180	70.75
Bench 225	88.5
Bench 270	106.25


Box dimensions (inch)		L	W	Н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (Ib)	Packaging weight (1b)
Bench 90	Box 11	36.5	19.0	5.0	1	2.12	62.63	60.43	2.20
Bench 135	Box 11	54.25	19.0	5.0	1	3.18	82.76	79.34	3.42
Bench 180	Box 11	72.0	19.0	5.0	1	3.88	101.59	97.33	4.25
Bench 225	Box 11	89.75	19.0	5.0	1	4.94	128.11	122.05	6.06
Bench 270	Box 11	107.5	19.0	5.0	1	6.00	146.30	140.24	6.06

#### **Dimensions**

The Extempore <u>bench with backrest</u> is available in 4 lengths









#### **Box dimensions**

The Extempore bench with backrest comes in 1 box

Box 12: Benchtop with backrest + legs + mounting kit



Dimensions (inch)	L
Bench with backrest 135	53.25
Bench with backrest 180	70.75
Bench with backrest 225	88.5
Bench with backrest 270	106.25

Box dimensions (inch)		L	W	Н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (њ)	Packaging weight (Ib)
Bench with backrest 135	Box 12	61.0	21.75	19.5	1	14.83	111.82	108.07	3.75
Bench with backrest 180	Box 12	78.75	21.75	19.5	1	19.07	142.04	135.30	6.75
Bench with backrest 225	Box 12	96.5	21.75	19.5	1	23.66	179.70	169.89	9.81
Bench with backrest 270	Box 12	114.25	21.75	19.5	1	27.90	209.17	199.58	9.81

#### Wood



Jatoba hardwood

### Sunbrella® cushions



Taupe Sunbrella Solids

White Sunbrella Natté



#### Frame & Legs



Anodized aluminium

#### Chair armrests



Stainless steel 316



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		inch	micron					
Jatoba hardwood  FSC FSC FSC FSC FSC FSC FSC FSC FSC FS	Durability CLASS 1 Exceptional quality Characteristics: durability & stability Bleeds when wood is exposed to rain for the first few times The dye is water-soluble Carries the FSC® label for durable forestry Feels comfortable in all weather conditions Advisable to oil the wood	0.70 - 1.37	n.a.	53 lb/ft³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Anodized aluminium frame & legs (chairs, benches & tables)	A process aimed at thickening the existing aluminium oxide layer     Thickest layer of protection	0.11 - 0.39	50 - 100	0.16 10 <sup>3</sup> lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Very good	NEN-EN 13501-1 A1*
Stainless steel legs AISI 316	Highest stainless steel quality available (AISI 316)     High rust resistance     Periodical maintenance required	0.07 - 0.31	n.a.	0.50 10 <sup>3</sup> lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Very good	NEN- EN13501- 1 A1 *
Sunbrella® cushions	100% Sunbrella Acrylic     Best outdoor fabric available for making cushions     Dirt repellent     Not waterproof, store inside!     Machine washable at max. 30°C. Ironing restores the protective layer	0.31	n.a.	0.04 oz/ft²	Outdoor & indoor	The fa- bric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

#### Good to know

- There are cushions available for all chairs and benches.
- Bench cushions = 17.75 x 15.75 x 0.25 inch





Lounge chair



Sunlounger

#### Maintenance

- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

#### ANODIZED ALUMINIUM

Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

#### STAINLESS STEEL

Clean regularly with a dry cloth and some stainless steel cleaner

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 4 inches.

#### F.A.Q.

#### Q: Do you need to oil the wood?

A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

#### Wheels

There are optional wheels available for all tables.



#### Warnings <u>A</u>



- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the tablen chairs & benches
- Not grafitti proof.
- Do not leave children unattended whilst plaving on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch

#### Product

- Do not drag the table, but carry it with minimum 2
- Anchoring the product has to be done by qualified
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.

#### Wood

- When delivered, the wood is untreated.
- The wood can bleed when it's exposed to rain for the first few times.

- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions
- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

#### **Anodized aluminium**

- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding NEN-EN13501-1 A2-sl Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and

fire growth.

Dark colors can get very hot in sunny weather.

#### Stainless steel

- Very good UV color fastness
- Flame retarding: NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Watch out, stainless steel isn't entirely rustproof! Be sure to avoid contact with iron objects. If it does show signs of rust, clean with rust remover as quickly as possible.

#### Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fasteness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only