

Tiki table






Table Trolley



extremis[®]

**IMPORTANT! RETAIN FOR FUTURE
REFERENCE: PLEASE READ ALL SAFETY
NOTES AND INSTRUCTIONS. FAILURE
TO COMPLY WITH THESE MAY RESULT
IN SEVERE INJURIES.**











Table of contents ^{1/2}

Mounting kit [↗]

Exploded view [↗]

Assembly Tiki table small [↗]

Disassembly Tiki table small [↗]

This is an interactive PDF

You can easily navigate through this manual, allowing you to smoothly jump from one page to the other.

Table of contents 2/2

Assembly Tiki table large [↗]

Disassembly Tiki table large [↗]


Assembly Tiki Table Trolley [↗]

**Warnings - Text instructions -
Maintenance [↗]**

This is an interactive PDF


You can easily navigate through this manual, allowing you to smoothly jump from one page to the other.

Mounting kit




Exploded view


Tiki table small



Tiki table large





Tiki Table Trolley




Tiki table small

1.

2'





Unlock the locking system by pushing it upwards ...




... and open the frame

2.






Lock the frame by pushing the locking system

3.



Slide the tabletop over two caps

4.






Push the black cap to fit the tabletop

Disassembly Tiki table small


1.

2'





Push one black cap and lift the tabletop

2.




Slide the tabletop off the other two caps

3.




Unlock the frame by pushing the locking system upwards

4.



Fold the frame ...





... and lock the locking system by pushing it down


Tiki table large

1.

2'





Unlock the locking system by pushing it upwards ...




... and open the frame

2.






Lock the frame by pushing the locking system

3.



Slide the tabletop over two caps

4.






Push the black cap to fit the tabletop

Disassembly Tiki table large


1.

2'




Push one black cap and lift the tabletop

2.





Do the same with the black cap next to the first one

3.




Slide the tabletop off the other two caps

4.




Unlock the frame by pushing the locking system upwards

5.



Fold the frame ...



... and lock the locking system by pushing it down





Tiki table trolley

1.

N° 5




5'



Put the base frame upside down to mount all wheels, make sure the swivel wheels are on the same side!


TIK566



16 x M8x20




2.





Slide the four tubes through the bottom of the base frame


TIK566



3.





TIK541




Make sure the Extremis logo on top of the top plate is positioned on the side of the swivel wheels

4.



Adhere the two tabletop protection plates in the middle of the base frame (where the rods go) with the adhesive tape


5.



Slide the rods one by one into the base frame and top plate. **Tip:** first position the rod in the hole of the base frame, then bend it slightly to insert it into the top plate



Storing Tiki tables

1.




**Take off the tabletop from the Tiki table and position it
between the rods**

2.




Fold the frame and hang it on the tubes, make sure the black caps of the Tiki table are facing outwards


3. Easy to store ...



8 x small



4 x large



4 x small + 2 x large

Warnings

Text instructions

Maintenance

Warnings ↗

Assembly text instructions ↗

Maintenance ↗



Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the bench.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.
- Do not sit or stand on the table.
- Always place the table on an even surface.
- Make sure the legs are always fully open.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-s1 - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.



Assembly text instructions



Take a look at the drawings, starting from page 8

Tiki table small (p8)

1. Unlock the locking system by pushing it upwards and open the frame.
2. Now lock the frame by pushing the locking system down.
3. Slide the tabletop over two caps.
4. Finally push the other cap(s) to fit the tabletop. Release the cap once the tabletop is in position so that the tabletop is fixed.

Disassembly Tiki table small (p12)

1. Push one black cap and lift the tabletop.
2. Slide the tabletop off the other two caps.
3. Unlock the frame by pushing the locking system upwards.
4. Finally fold the frame and lock the locking system by pushing it down.

Tiki table large (p16)

1. Unlock the locking system by pushing it upwards and open the frame.
2. Now lock the frame by pushing the locking system down.
3. Slide the tabletop over two caps.
4. Finally push the other cap(s) to fit the tabletop. Release the cap once the tabletop is in position so that the tabletop is fixed.

Disassembly Tiki table large (p20)

1. Push one black cap, lift the tabletop and release the cap.




2. Do the same for the black cap next to the first one.
3. Slide the tabletop off the remaining caps.
4. Unlock the frame by pushing the locking system upwards.
5. Finally fold the frame and lock the locking system by pushing it down.

Tiki table trolley (p24)

1. Put the base frame upside down and attach all wheels with four M8x20 bolts each. Attention: make sure the swivel wheels are on the same side.
2. Now slide the four large tubes through the bottom of the base frame and fix these with four M8x20 bolts each.
3. Position the top plate on top of the large tubes and fix it with four M6x40 bolts. Attention: make sure the Extremis logo is positioned on the side of the swivel wheels.
4. Then adhere the two tabletop protection plates to the middle of the frame (where the rods should go).
5. Finally, insert the rods one by one into the base frame and top plate. Tip: first position the rod in the hole of the base frame, then bend it slightly to insert it into the top plate.





Watch the maintenance videos on our website:

www.extremis.com/maintenance

Powder coating

CLEANING

Regularly

Use Extremis Multicleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

REPAIRING DAMAGED POWDER COATING

When damaged

The impact of sharp objects can damage the coating. Scratches or dents can be touched up with our paint pens. However this only camouflages the scratches without removing them.

Galvanized steel

CLEANING

When dirty

Clean with lukewarm water and a brush.

REPAIRING DAMAGED PARTS WITH ZINC SPRAY

When damaged

Hot dip galvanization is the most durable way of protecting metal against rusting. If the zinc coating is damaged, the exposed metal can



rust. This can easily be touched up with zinc paint that automatically has the same colour and is readily available in shops. Zinc spray forms a quick drying, self healing and flexible coating that helps stop corrosion.





Our headquarters:
Couthoflaan 20b
B-8972, Poperinge
info@extremis.com
+ 32 57 346020

extremis.com

Connect with us



All rights reserved. Unless otherwise specified, all designs and photographs contained in this publication are copyright protected and are the property of Extremis. No part of this publication may be copied or distributed without Extremis' prior written consent. The names of the authors of photographs to which we do not hold rights are mentioned here. We have done our utmost to provide a comprehensive list of names. In the event of an alleged breach, please contact the editorial staff. © Extremis

LBI157-1