# Kosmos

# extremis<sup>®</sup>


© Design by Dirk Wynants for Extremis, 2008





# **Dimensions**


The Kosmos 8-seater is available in one dimension

The Kosmos 3-seater is available in one dimension









251






# **Box dimensions**

The Kosmos 8-seater comes in 3 boxes

Box 1: Big frames + cushions








Box 3: Tabletop



Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Kosmos 8-seater low	Box 1	2600	1150	980	1	2,93	137,57	128,57	9,00
	Box 2	1350	740	370	1	0,37	41,45	35,19	6,26
	Вох 3	1280	1280	33	1	0,05	22,00	18,00	4,00
					Total:	3,35	201,02	181,76	19,26
Kosmos 3-seater low	Box 1	2600	1150	980	1	2,93	69,40	60,40	9,00

# With Kosmos shade

Only possible to combine the Kosmos shade with the Kosmos 8-seater low



### Outer shell



Black (RAL9005)



Earth



Off white (RAL9002)

# Sunbrella® cushions



Grey chiné



Dark taupe Sunbrella Natte



Marble



### Tabletop



Black



Earth



White



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Hot dip galvanized steel frame	Most durable method for protecting metal from rusting     Protective layer     Very long life span     100% recyclable     Cradle to Cradle Certified™	2 - 6	50 - 100	7,50 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good: galvanisation will however become less shiny when used outdoor	NEN-EN 13501-1 A1 *
Structured powder- coated aluminium shell	A technique of applying dry paint to a part     Electrostatically charged and sprayed onto the object     More scratch-resistant than non structured powder coating	2 - 4	50 - 100	2,70 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN -EN13501- 1 A2-s1 **
Sunbrella cushions	100% Sunbrella Acrylic     Best outdoor fabric available for making cushions     Dirt repellent     Not waterproof, store inside!     Machine washable at max. 30°C. Ironing restores the protective layer	0,50	n.a.	270 g/m²	Outdoor & indoor	Water column of 350mm (EN 20811)	7/8 (ISO 105-B02)	/
High pressure laminate table	<ul> <li>Manufactured under high pressure</li> <li>Reinforced with wood fibres</li> <li>Flat panel</li> <li>High impact resistance</li> <li>Easy to clean</li> </ul>	13	n.a.	1,40 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	>6 (EN438-2:27) en (ASTM G53-91)	/
Cover	Polyester	0,50	n.a.	400 g/m²	Outdoor & indoor	100% waterp- roof	6-8/8 (ISO 105- B02)	BS 7837

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

## BS 5852-5

The Cigarette & Match Tests BS 5852 are fire retardancy tests for residential upholstery. Source 5 = Crib. (Wooden crib or Crib 5)

# Warranty

Our quality promise, made solid. Material based warranty.

Each material has unique properties, and the warranty covers issues specific to each. Steel should not rust, coatings should not peel, and wood should not rot. We have outlined the warranty coverage for all materials in our Warranty Chart for your convenience.

Based on our 30 years of expertise with wood, fabrics and metals, we now offer 5 to 15 years warranty.




## GALVANIZED STEEL

Enjoy an impressive 15-year warranty on all galvanized steel parts. We proudly use this exceptional Cradle to Cradlecertified technique to protect steel from rusting, incorporating it into nearly all our designs.



COATED METALS, STAINLESS STEEL, WOOD AND SUNBRELLA

We offer a comprehensive 5-year warranty on all powder coated metal parts, stainless steel components, wooden parts, and Sunbrella fabrics. This extension ensures that all key materials of our products are covered



## Kosmos 8-seater low combines perfectly with Kosmos shade.



# **Important**

We strongly advise to acquire the cover for outdoor use. If possible, store the cushions inside during Winter.



# **Maintenance**

POWDER COATED PARTS

Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

### SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis multi cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.

### HPL

Spilled liquids should be removed immediately with a clean, soft cloth, particularly in case of dark-colored liquids such as wine, ink, coffe, coke, oil and

# F.A.Q.

Q: With how many people can you use the Kosmos 8-seater?

A: 7 - 8 people can sit and 3 - 5 can lie down.

Q: Is the parasol wind resistant?

A: Tests in a windtunnel have shown that the shade withstands wind speeds up to 6 on the Beaufort scale (49 km/h). Still, we strongly advise to take of the fabric sooner (from 4 on the Beaufort scale is the rule of thumb (28 km/h)).

# Instructions

To transform your Kosmos into a lounge bed, push the adjustable table downwards with your right hand, while squeezing the handle underneath the tabletop with your left hand.

To use the table, squeeze the handle underneath the table again, and pull up the table with your other hand.

# Warnings A

- Do not use any sharp tools to open the packaging
- We strongly advise against using power tools. Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not grafitti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch

- Stains should be removed immediately with a clean, soft cloth, particularly in case of darkcolored liquids such as wine, ink, coffee, coke, oil or bird droppings. If left to dry, these liquids may cause permanent damage.
- We strongly advise to acquire the covers for outdoor use. If possible, store the cushions inside during Winter.
- Never sit on the backrest to avoid damaging the cushions and aluminum plate.

- · Check if there's nothing under the heightadjustable table before you adjust it to its lowest height.
- Make sure there is nothing on the table when you are adjusting the height! Push carefully in the middle of the tabletop to lower it.
- Only sit or lie on the height-adjustable table when it is at its lowest height setting!
- Keep pets and sharp objects away from the Kosmos to avoid damaging the fabric.
- Max. 8 people or 640 kg.

### Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding NEN-EN13501-1 A2-sl -Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and fire arowth.
- Dark colors can get very hot in sunny weather.

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fasteness: 7/8 (ISO 105-B02).

### Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only

Tech sheet