
#### © design by Arnold Merckx

# extremis<sup>®</sup>



#### Dimensions

The Extempore chair is available in one dimension



#### **Box dimensions**


The Extempore chair comes in 1 box Max. 4 chairs per box: 0,51 m $^3$  | Gross weight: 24,71 kg | Net weight: 19,56 kg

<u>Box 1</u>: Chair



Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Extempore chair	Box 1	793	680	940	1	0,51	10,04	4,89	5,15

The Extempore lounge chair is available in one dimension




#### **Box dimensions**

The Extempore lounge chair comes in 1 box Max. 2 chairs per box: 0,45  $\rm m^3$  | Gross weight: 16,95 kg | Net weight: 11,16 kg

Box dimensions (mm)		L	w	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Extempore lounge chair	Box 2	800	590	960	1	0,45	11,14	5,35	5,79

## Dimensions

The Extempore <u>sunlounger</u> is available in one dimension




## Box dimensions

The Extempore sunlounger comes in 1 box

Max. 2 chairs per box: 1,09 m<sup>3</sup> | Gross weight: 23,84 kg | Net weight: 13,84 kg

Box 3: Sunlounger





Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Extempore Sunlounger	Box 3	1645	665	1000	1	1,09	16,69	6,69	10,00

500

The Extempore footrest is available in one dimension

643

408

## **Box dimensions**


The Extempore footrest comes in 1 box


<u>Box 4</u>: Footrest




Box dimensions (mm)		L	w	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Extempore footrest	Box 4	650	515	430	1	0,14	6,68	4,18	2,50

The Extempore table is available in 4 lengths







## Box dimensions

The Extempore table comes in 1 box

Box 5: Tabletop + legs + mounting kit



Dimensions (mm)	L
Table 135	1350
Table 180	1800
Table 225	2250
Table 270	2700

Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Table 135	Box 5	1380	930	130	1	0,18	61,04	56,00	5,04
Table 180	Box 5	1830	930	130	1	0,23	75,64	69,94	5,70
Table 225	Box 5	2280	930	130	1	0,29	94,41	87,32	7,09
Table 270	Box 5	2730	930	130	1	0,33	105,51	98,42	7,09

The Extempore tables in combination with Extempore chairs Table 135




Table 180




Table 225






Table 270



The Extempore square table is available in one dimension

800



## **Box dimensions**


The Extempore square table comes in 1 box

Box 6: Tabletop + legs + mounting kit




Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Square table 80x80	Box 6	830	830	135	1	0,09	50,85	46,52	4,33

The Extempore square table in combination with Extempore chairs



The Extempore high table is available in 2 lengths



700

## . 270 L

Dimensions (mm)
Table 135

Table 270

L 1350

2700

**Box dimensions** 

Box 8: Footrest

The Extempore high table comes in 2 boxes

Box 7: Tabletop + legs + mounting kit

Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
High table 135	Box 7	1380	740	135	1	0,14	58,18	55,70	2,48
	Box 8	1380	70	50	1	0,01	8,68	6,20	2,48
					Total:	0,15	68,86	63,90	4,96
High table 270	Box 7	2730	740	135	1	0,27	96,09	91,56	4,53
	Box 8	2730	70	50	1	0,01	13,04	8,94	4,10
					Total:	0,28	109,13	100,50	8,63

1050

## **Dimensions**



340

The Extempore high bench is available in 2 lengths

.

.

900

750

270

## **Box dimensions**

The Extempore high bench comes in 2 boxes

Box 9: Benchtop + legs + mounting kit



Box 10: Footrest


10

Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
High bench	Box 9	930	370	135	1	0,05	31,98	27,45	4,53
	Box 10	930	70	50	1	0,01	2,83	0,78	2,05
					Total:	0,06	34,81	28,23	6,58

#### **Extempore - Factsheet**

The Extempore <u>bench</u> is available in 5 lengths





#### **Box dimensions**

The Extempore bench comes in 1 box

Box 11: Benchtop + legs + mounting kit

 Dimensions (mm)
 L

 Bench 90
 900

 Bench 135
 1350

 Bench 180
 1800

 Bench 225
 2250

 Bench 270
 2700

Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Bench 90	Box 11	930	480	130	1	0,06	28,41	27,41	1,00
Bench 135	Box 11	1380	480	130	1	0,09	37,54	35,99	1,55
Bench 180	Box 11	1830	480	130	1	0,11	46,80	44,15	1,93
Bench 225	Box 11	2280	480	130	1	0,14	58,11	55,36	2,75
Bench 270	Box 11	2730	480	130	1	0,17	66,36	63,61	2,75

## Dimensions

The Extempore bench with backrest is available in 4 lengths


#### **Box dimensions**

The Extempore bench with backrest comes in 1 box

Box 12: Benchtop with backrest + legs + mounting kit







Dimensions (mm)	L
Bench with backrest 135	1350
Bench with backrest 180	1800
Bench with backrest 225	2250
Bench with backrest 270	2700

Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Bench with backrest 135	Box 12	1550	550	495	1	0,42	50,72	49,02	1,70
Bench with backrest 180	Box 12	2000	550	495	1	0,54	64,43	61,37	3,06
Bench with backrest 225	Box 12	2450	550	495	1	0,67	81,51	77,06	4,45
Bench with backrest 270	Box 12	2900	550	495	1	0,79	94,88	90,53	4,45

## Materials & colors

Wood	Sunbrella® cushions							
Jatoba hardwood	Taupe Sunbrella Solids							
Frame & Legs	White Sunbrella Natté							
Anodized aluminium								
Chair armrests								
Stainless steel 316								

Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Jatoba hardwood	<ul> <li>Durability CLASS 1</li> <li>Exceptional quality</li> <li>Characteristics: durability &amp; stability</li> <li>Bleeds when wood is exposed to rain for the first few times</li> <li>The dye is water-soluble</li> <li>Carries the FSC® label for durable forestry</li> <li>Feels comfortable in all weather conditions</li> <li>Advisable to oil the wood</li> </ul>	18 - 35	n.a.	830 kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Anodized aluminium frame & legs (chairs, benches & tables)	<ul> <li>A process aimed at thickening the existing aluminium oxide layer</li> <li>Thickest layer of protection</li> </ul>	3 - 10	50 - 100	2,70 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good	NEN-EN 13501-1 A1*
Stainless steel legs AISI 316	<ul> <li>Highest stainless steel quality available (AISI 316)</li> <li>High rust resistance</li> <li>Periodical maintenance required</li> </ul>	2 - 8	n.a.	8,00 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good	NEN- EN13501- 1 A1 *
Sunbrella® cushions	<ul> <li>100% Sunbrella Acrylic</li> <li>Best outdoor fabric available for making cushions</li> <li>Dirt repellent</li> <li>Not waterproof, store inside!</li> <li>Machine washable at max. 30°C. Ironing restores the protective layer</li> </ul>	0,50	n.a.	260 g/m²	Outdoor & indoor	The fa- bric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

#### Good to know

- There are cushions available for all chairs and benches.
- Bench cushions = 45 x 40 x 5 cm

# Chaiı Lounge chair



Sunlounder

## F.A.Q.

- Q: Do you need to oil the wood?
- A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

## Warnings <u>A</u>

#### General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the tablen chairs &
- benches Not grafitti proof.
- Do not leave children unattended whilst plaving on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to . batch

#### Product

- Do not drag the table, but carry it with minimum 2 people
- Anchoring the product has to be done by qualified people
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.

#### Wood

- When delivered, the wood is untreated.
- The wood can bleed when it's exposed to rain for the first few times.

- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions
- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner. We strongly recommend that you treat your wood
- with wood protector to protect it from stains small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

#### Anodized aluminium

- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding NEN-EN13501-1 A2-sl Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and

#### Maintenance

#### WOOD

- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

#### ANODIZED ALUMINIUM

Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

#### STAINLESS STEEL

Clean regularly with a dry cloth and some stainless steel cleaner

#### **SUNBRELLA**

- Shake or brush off loose dirt immediately.
- . Spray Extremis Multi Cleaner
- Use a soft brush and make circular movements. .
- Let the suds soak in for a moment Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 10 cm.

#### Wheels

There are optional wheels available for all tables.



#### fire arowth.

Dark colors can get very hot in sunny weather.

#### Stainless steel

- Very good UV color fastness
- Flame retarding: NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Watch out, stainless steel isn't entirely rustproof! Be sure to avoid contact with iron objects. If it does show signs of rust, clean with rust remover as quickly as possible.

#### Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fasteness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only

Tech sheet 20230427